

```

*****
23188 Fri Jul 17 10:02:02 2009
new/usr/src/Makefile.master
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
24 #ident "@(#)Makefile.master 1.42 09/07/17 SMI"
24 #ident "@(#)Makefile.master 1.41 09/05/14 SMI"
25 #
26 # Makefile.master, global definitions for system source
27 #
28 ROOT= /proto

30 # RELEASE_BUILD should be cleared for final release builds. This is completely
31 # independent of CH. NOT_RELEASE_BUILD is exactly what the name implies.
32 #
33 # INTERNAL_RELEASE_BUILD is a subset of RELEASE_BUILD. It mostly controls
34 # identification strings. Enabling RELEASE_BUILD automatically enables
35 # INTERNAL_RELEASE_BUILD.
36 #
37 # STRIP_COMMENTS toggles comment section stripping. Generally the same setting
38 # as INTERNAL_RELEASE_BUILD.
39 #
40 # STRIPFLAG is similar. It is set to a unique value depending upon the
41 # value of CH. It is set here for use in lower level Makefiles to allow
42 # a single point change to effect the entire build.
43 #
44 POUND_SIGN:sh= echo \\043

46 NOT_RELEASE_BUILD=
47 INTERNAL_RELEASE_BUILD:sh= echo \\043
48 RELEASE_BUILD:sh= echo \\043
49 $(RELEASE_BUILD)NOT_RELEASE_BUILD:sh= echo \\043
50 $(RELEASE_BUILD)INTERNAL_RELEASE_BUILD=

52 # SPARC_BLD is '#' for an Intel build.
53 # INTEL_BLD is '#' for a Sparc build.
54 SPARC_BLD_1= $(MACH:i386=$(POUND_SIGN))
55 SPARC_BLD= $(SPARC_BLD_1:sparc=)
56 INTEL_BLD_1= $(MACH:sparc=$(POUND_SIGN))
57 INTEL_BLD= $(INTEL_BLD_1:i386=)

59 MACH_TYPE_i386 = pc
60 MACH_TYPE_sparc = sun

```

```

61 MACH_TYPE = $(MACH_TYPE_$(MACH))
63 STRIP_COMMENTS= $(INTERNAL_RELEASE_BUILD)

65 STRIPFLAG= -s

67 # BUILD_TOOLS is the root of all tools including compilers.
68 # ONBLD_TOOLS is the root of all the tools that are part of SUNWonbld.

70 BUILD_TOOLS= /ws/onnv-tools
71 ONBLD_TOOLS= $(BUILD_TOOLS)/onbld

73 # at least one thing still can't be built with 1.6,
74 # so make 1.6 the default but overridable. However,
75 # if you're having trouble compiling with java 1.6 and
76 # have found java 1.5 here and want to use it, think
77 # again - that's the last resort, first look at java
78 # options like -source.
79 JAVA5_ROOT= /usr/jdk/instances/jdk1.5.0
80 JAVA6_ROOT= /usr/jdk/instances/jdk1.6.0
81 JAVA_ROOT= $(JAVA6_ROOT)

83 MAKEFILE= -f Makefile.sfw

85 SFW_STAMP_UNPACKED= .unpacked
86 SFW_STAMP_PATCHED= .patched
87 SFW_STAMP_PATCHES= .patches

89 # this can help catch problems if sh is ksh93
90 SHELL=/usr/bin/ksh93
91 GPATCH= /usr/bin/gpatch
92 GPATCH_FLAGS= -p0
93 METAINFO= $(PERL) $(SRC)/tools/metainfo.pl
94 METACHECK= $(METAINFO) --validate
95 COMPONENT_NAME= $(METAINFO) --key NAME
96 COMPONENT_VERSION= $(METAINFO) --key VERSION
97 COMPONENT_PACKAGES= $(METAINFO) --key PACKAGE
98 COMPONENT_ARCHIVE= $(METAINFO) --archive-name SOURCE_DOWNLOAD
99 INSTALL_PROTO= $(SRC)/tools/install-proto -c
100 STRIPBINS= $(SRC)/tools/stripbins
101 INCFIXUP= $(SRC)/tools/increfixup
102 UNPACKARCHIVE= $(SRC)/tools/unpack-archive
103 SFW_CHECK_DEPS= $(PERL) $(SRC)/tools/check-deps.pl \
104 -e $(SRC)/tools/exception_list.check-deps \
105 -d $(PKGARCHIVE) -p $(SFW_PKGDB)
106 SFW_RUN_CHECK_DEPS= $(POUND_SIGN)
107 RPCGEN= /usr/bin/rpcgen
108 AWK= /usr/bin/awk
109 ECHO= echo
110 INS= install
111 TRUE= true
112 SYMLINK= /usr/bin/ln -s
113 LN= /usr/bin/ln
114 SH= /usr/bin/sh
115 CHMOD= /usr/bin/chmod
116 CHOWN= $(TRUE)
117 CHGRP= $(TRUE)
118 MV= /usr/bin/mv -f
119 RMDIR= /usr/bin/rmdir
120 MKDIR= /usr/bin/mkdir
121 TOUCH= /usr/bin/touch
122 RM= /usr/bin/rm -f
123 GREP= /usr/bin/grep
124 SED= /usr/bin/sed
125 CP= /usr/bin/cp
126 LORDER= /usr/ccs/bin/lorder

```

```

127 MCS=          /usr/ccs/bin/mcs
128 CAT=          /usr/bin/cat
129 M4=           /usr/ccs/bin/m4
130 STRIP=        /usr/ccs/bin/strip
131 TSORT=        /usr/ccs/bin/tsort
132 JAVAC=        $(JAVA_ROOT)/bin/javac
133 JAVAH=        $(JAVA_ROOT)/bin/javah
134 JAVADOC=      $(JAVA_ROOT)/bin/javadoc
135 RMIC=         $(JAVA_ROOT)/bin/rmic
136 JAR=          $(JAVA_ROOT)/bin/jar
137 GMAKE=        /usr/sfw/bin/gmake
138 CCSMAKE=      /usr/ccs/bin/make
139 XREF=         $(ONBLD_TOOLS)/bin/xref
140 PERL=         /usr/perl5/bin/perl
141 FIND=         /usr/bin/find
142 XARGS=        /usr/bin/xargs
143 TAR=          /usr/bin/tar
144 GTAR=         /usr/sfw/bin/gtar
145 PYTHON=       /usr/bin/python
146 PYTHON_64=   /usr/bin/$(MACH64)/python
147 PYTHON26=    /usr/bin/python2.6
148 PYTHON26_64= /usr/bin/$(MACH64)/python2.6
149 ELFDIT=      /usr/bin/elfedit
150 GINSTALL=    /usr/bin/ginstall

154 FILEMODE=    644
155 DIRMODE=     755
156 OWNER=       root
157 GROUP=       bin

159 # Paths, relative to proto root.
160 #
161 # Suitable for passing to things like configure scripts which
162 # use the path for compiled in default file location information
163 CFGPREFIX=    /usr
164 CFGBIN=       $(CFGPREFIX)/bin
165 CFGLIB=       $(CFGPREFIX)/lib
166 CFGSBIN=     /sbin
167 CFGINC=       $(CFGPREFIX)/include
168 CFGUSRSBIN=  $(CFGPREFIX)/sbin
169 CFGLOCALE=   $(CFGPREFIX)/share/locale
170 CFGINFO=     $(CFGPREFIX)/share/info
171 CFGETC=      /etc
172 CFGBIN32=    $(CFGBIN)/$(MACH32)
173 CFGBIN64=    $(CFGBIN)/$(MACH64)
174 CFGLIB64=    $(CFGLIB)/$(MACH64)
175 CFGUSRSBIN32= $(CFGUSRSBIN)/$(MACH32)
176 CFGUSRSBIN64= $(CFGUSRSBIN)/$(MACH64)
177 CFGMAN=      $(CFGPREFIX)/share/man
178 CFGMAN1=    $(CFGMAN)/man1
179 CFGMAN3=    $(CFGMAN)/man3
180 CFGMAN5=    $(CFGMAN)/man5
181 CFGMAN6=    $(CFGMAN)/man6
182 CFGDOC=     $(CFGPREFIX)/share/doc
183 CFGUSRDEMO= $(CFGPREFIX)/demo

185 COMPONENT_TOP:sh =      pwd
186 MANSRIPT =              $(COMPONENT_TOP)/sunman-stability

188 # Common configure options with common values
189 CONFIGURE_OPTIONS =     --prefix=$(CFGPREFIX)
190 CONFIGURE_OPTIONS +=    --mandir=$(CFGMAN)

192 ROOTBIN=          $(ROOT)$(CFGBIN)

```

```

193 ROOTLIB=         $(ROOT)$(CFGLIB)
194 ROOTSBIN=        $(ROOT)$(CFGSBIN)
195 ROOTUSRSBIN=     $(ROOT)$(CFGUSRSBIN)
196 ROOTETC=         $(ROOT)$(CFGETC)
197 ROOTBIN32=       $(ROOT)$(CFGBIN32)
198 ROOTBIN64=       $(ROOT)$(CFGBIN64)
199 ROOTLIB64=       $(ROOT)$(CFGLIB64)
200 ROOTUSRSBIN32=   $(ROOT)$(CFGUSRSBIN32)
201 ROOTUSRSBIN64=   $(ROOT)$(CFGUSRSBIN64)
202 ROOTMAN1=        $(ROOT)$(CFGMAN1)
203 ROOTMAN3=        $(ROOT)$(CFGMAN3)
204 ROOTMAN5=        $(ROOT)$(CFGMAN5)
205 ROOTMAN6=        $(ROOT)$(CFGMAN6)
206 ROOTDOC=         $(ROOT)$(CFGDOC)
207 ROOTUSRDEMO=    $(ROOT)$(CFGUSRDEMO)
208 ROOTINCLUDE=     $(ROOT)$(CFGINC)

210 #
211 # Begin /usr/sfw freeware rules for freeware that has "External"
212 # taxonomy stability level.
213 #
214 CFGSFW=          /usr/sfw
215 CFGSFWBIN=       /usr/sfw/bin
216 CFGSFWsbin=     /usr/sfw/sbin
217 CFGSFWSHARE=    /usr/sfw/share
218 CFGSFWINFO=     /usr/sfw/share/info
219 CFGSFWINCLUDE=  /usr/sfw/include
220 CFGSFWLIB=      /usr/sfw/lib
221 CFGLIBEXEC=     /usr/sfw/libexec
222 CFGSFWMAN=      /usr/sfw/share/man
223 CFGSFWMANN=    /usr/sfw/share/mann
224 CFGSFWMAN1=    /usr/sfw/share/man/man1
225 CFGSFWMAN1M=   /usr/sfw/share/man/man1m
226 CFGSFWMAN3=    /usr/sfw/share/man/man3
227 CFGSFWMAN4=    /usr/sfw/share/man/man4
228 CFGSFWMAN5=    /usr/sfw/share/man/man5
229 CFGSFWMAN7=    /usr/sfw/share/man/man7

231 ROOTSFW=         $(ROOT)$(CFGSFW)
232 ROOTSFWBIN=     $(ROOT)$(CFGSFWBIN)
233 ROOTSFWsbin=    $(ROOT)$(CFGSFWsbin)
234 ROOTSFWSHARE=   $(ROOT)$(CFGSFWSHARE)
235 ROOTSFWINFO=    $(ROOT)$(CFGSFWINFO)
236 ROOTSFWINCLUDE= $(ROOT)$(CFGSFWINCLUDE)
237 ROOTSFWLIB=     $(ROOT)$(CFGSFWLIB)
238 ROOTLIBEXEC=    $(ROOT)$(CFGLIBEXEC)
239 ROOTSFWMAN=     $(ROOT)$(CFGSFWMAN)
240 ROOTSFWMANN=    $(ROOT)$(CFGSFWMANN)
241 ROOTSFWMAN1=    $(ROOT)$(CFGSFWMAN1)
242 ROOTSFWMAN1M=   $(ROOT)$(CFGSFWMAN1M)
243 ROOTSFWMAN3=    $(ROOT)$(CFGSFWMAN3)
244 ROOTSFWMAN4=    $(ROOT)$(CFGSFWMAN4)
245 ROOTSFWMAN5=    $(ROOT)$(CFGSFWMAN5)
246 ROOTSFWMAN7=    $(ROOT)$(CFGSFWMAN7)

248 #
249 # End /usr/sfw freeware rules
250 #

252 #
253 # Begin /usr/gnu freeware rules.
254 #
255 CFGGNU=          /usr/gnu
256 CFGGNUBIN=       /usr/gnu/bin
257 CFGGNUSHARE=     /usr/gnu/share

```

new/usr/src/Makefile.master

```

258 CFGGNUMAN=      /usr/gnu/share/man
259 CFGGNUMAN1=     /usr/gnu/share/man/man1

261 ROOTGNU=        $(ROOT)$(CFGGNU)
262 ROOTGNUBIN=     $(ROOT)$(CFGGNUBIN)
263 ROOTGNUSHARE=   $(ROOT)$(CFGGNUSHARE)
264 ROOTGNUMAN=     $(ROOT)$(CFGGNUMAN)
265 ROOTGNUMAN1=    $(ROOT)$(CFGGNUMAN1)

267 #
268 # End /usr/gnu freeware rules
269 #

271 # Declare that nothing should be built in parallel.
272 # Individual Makefiles can use the .PARALLEL target to declare otherwise.
273 .NO_PARALLEL:

275 ROOTPROG=       $(PROG:%=$(ROOTBIN)/%)
276 ROOTSHFILES=    $(SHFILES:%=$(ROOTBIN)/%)
277 ROOTLIBPROG=    $(PROG:%=$(ROOTLIB)/%)
278 ROOTLIBSHFILES= $(SHFILES:%=$(ROOTLIB)/%)
279 ROOTSBINPROG=   $(PROG:%=$(ROOTSBIN)/%)
280 ROOTUSRSBINPROG=$(PROG:%=$(ROOTUSRSBIN)/%)
281 ROOTETCPROG=    $(PROG:%=$(ROOTETC)/%)
282 ROOTPROG64=     $(PROG:%=$(ROOTBIN64)/%)
283 ROOTPROG32=     $(PROG:%=$(ROOTBIN32)/%)
284 ROOTUSRSBINPROG32=$(PROG:%=$(ROOTUSRSBIN32)/%)
285 ROOTUSRSBINPROG64=$(PROG:%=$(ROOTUSRSBIN64)/%)

287 ROOTMAN1FILES=$(MAN1FILES:%=$(ROOTMAN1)/%)
288 $(ROOTMAN1FILES) := FILEMODE = 444
289 $(ROOTMAN1FILES) := OWNER = root
290 $(ROOTMAN1FILES) := GROUP = bin

292 ROOTMAN3FILES=$(MAN3FILES:%=$(ROOTMAN3)/%)
293 $(ROOTMAN3FILES) := FILEMODE = 444
294 $(ROOTMAN3FILES) := OWNER = root
295 $(ROOTMAN3FILES) := GROUP = bin

297 ROOTMAN5FILES=$(MAN5FILES:%=$(ROOTMAN5)/%)
298 $(ROOTMAN5FILES) := FILEMODE = 444
299 $(ROOTMAN5FILES) := OWNER = root
300 $(ROOTMAN5FILES) := GROUP = bin

302 ROOTMAN6FILES=$(MAN6FILES:%=$(ROOTMAN6)/%)
303 $(ROOTMAN6FILES) := FILEMODE = 444
304 $(ROOTMAN6FILES) := OWNER = root
305 $(ROOTMAN6FILES) := GROUP = bin

307 #
308 # Begin /usr/sfw freeware rules for freeware that has "External"
309 # taxonomy stability level.
310 #
311 ROOTSFWINFOFILES=$(INFOFILES:%=$(ROOTSFWINFO)/%)
312 $(ROOTSFWINFOFILES) := FILEMODE = 444
313 $(ROOTSFWINFOFILES) := OWNER = root
314 $(ROOTSFWINFOFILES) := GROUP = bin

316 ROOTSFWMANFILES=$(MANNFILES:%=$(ROOTSFWMANN)/%)
317 $(ROOTSFWMANFILES) := FILEMODE = 444
318 $(ROOTSFWMANFILES) := OWNER = root
319 $(ROOTSFWMANFILES) := GROUP = bin

321 ROOTSFWMAN1FILES=$(MAN1FILES:%=$(ROOTSFWMAN1)/%)
322 $(ROOTSFWMAN1FILES) := FILEMODE = 444
323 $(ROOTSFWMAN1FILES) := OWNER = root

```

5

new/usr/src/Makefile.master

```

324 $(ROOTSFWMAN1FILES) := GROUP = bin

326 ROOTSFWMAN1MFILES=$(MAN1MFILES:%=$(ROOTSFWMAN1M)/%)
327 $(ROOTSFWMAN1MFILES) := FILEMODE = 444
328 $(ROOTSFWMAN1MFILES) := OWNER = root
329 $(ROOTSFWMAN1MFILES) := GROUP = bin

331 ROOTSFWMAN3FILES=$(MAN3FILES:%=$(ROOTSFWMAN3)/%)
332 $(ROOTSFWMAN3FILES) := FILEMODE = 444
333 $(ROOTSFWMAN3FILES) := OWNER = root
334 $(ROOTSFWMAN3FILES) := GROUP = bin

336 ROOTSFWMAN4FILES=$(MAN4FILES:%=$(ROOTSFWMAN4)/%)
337 $(ROOTSFWMAN4FILES) := FILEMODE = 444
338 $(ROOTSFWMAN4FILES) := OWNER = root
339 $(ROOTSFWMAN4FILES) := GROUP = bin

341 ROOTSFWMAN5FILES=$(MAN5FILES:%=$(ROOTSFWMAN5)/%)
342 $(ROOTSFWMAN5FILES) := FILEMODE = 444
343 $(ROOTSFWMAN5FILES) := OWNER = root
344 $(ROOTSFWMAN5FILES) := GROUP = bin

346 ROOTSFWMAN7FILES=$(MAN7FILES:%=$(ROOTSFWMAN7)/%)
347 $(ROOTSFWMAN7FILES) := FILEMODE = 444
348 $(ROOTSFWMAN7FILES) := OWNER = root
349 $(ROOTSFWMAN7FILES) := GROUP = bin

351 ROOTSFWBINPROG=$(PROG:%=$(ROOTSFWBIN)/%)
352 $(ROOTSFWBINPROG) := FILEMODE= 555
353 $(ROOTSFWBINPROG) := OWNER= root
354 $(ROOTSFWBINPROG) := GROUP= bin

356 ROOTSFWBSBINPROG=$(PROG:%=$(ROOTSFWBSBIN)/%)
357 $(ROOTSFWBSBINPROG) := FILEMODE= 555
358 $(ROOTSFWBSBINPROG) := OWNER= root
359 $(ROOTSFWBSBINPROG) := GROUP= bin

361 #
362 # End /usr/sfw freeware rules
363 #

366 INS.file=       $(RM) $@; $(INS) -s -m $(FILEMODE) -f $(@D) $<
367 INS.dir=        $(INS) -s -d -m $(DIRMODE) $@
368 # installs and renames at once
369 #
370 INS.rename=     $(INS.file); $(MV) $(@D)/$(<F) $@

372 # MACH must be set in the shell environment per uname -p on the build host
373 # More specific architecture variables should be set in lower makefiles.
374 #
375 # MACH64 is derived from MACH
376 #
377 MACH64_1=       $(MACH:sparc=sparcv9)
378 MACH64=         $(MACH64_1:i386=amd64)

380 MACH32_1=       $(MACH:sparc=sparcv7)
381 MACH32=         $(MACH32_1:i386=i86)

383 #
384 # C compiler mode. Future compilers may change the default on us,
385 # so force transition mode globally. Lower level makefiles can
386 # override this by setting CCMODE.
387 #
388 CCMODE=         -Xa
389 CCMODE64=       -Xa

```

6

```

391 #
392 # C compiler verbose mode. This is so we can enable it globally,
393 # but turn it off in the lower level makefiles of things we cannot
394 # (or aren't going to) fix.
395 #
396 CCVERBOSE=

398 #
399 # compiler 32/64 bit flag, in case it changes again (and needed
400 # since lint doesn't really want the extra bits in XARCH).
401 CCBITS32=      -m32
402 CCBITS64=      -m64

404 #
405 #
406 # compiler '-xarch' flag. This is here to centralize it and make it
407 # overridable for testing.
408 sparc_XARCH=    $(CCBITS32) -xarch=sparc
409 sparcv9_XARCH= $(CCBITS64) -xcode=abs64
410 i386_XARCH=     $(CCBITS32) -xchip=pentium
411 amd64_XARCH=    $(CCBITS64) -xarch=generic -Ui386 -U__i386

413 #
414 # disable the incremental linker
415 ILDOFF=        -xildoff

417 # C99 mode
418 C99_ENABLE=    -xc99=all
419 C99_DISABLE=   -xc99=none
420 C99MODE=       $(C99_ENABLE)
421 C99LMODE=      $(C99MODE:-xc99%=-Xc99%)

423 # XPG6 mode. This option enables XPG6 conformance, plus extensions.
424 # Amongst other things, this option will cause system calls like
425 # popen (3C) and system (3C) to invoke the standards-conforming
426 # shell, /usr/xpg4/bin/sh, instead of /usr/bin/sh.
427 XPG6MODE=      $(C99MODE) -D_XOPEN_SOURCE=600 -D__EXTENSIONS__=1

429 #
430 # The Sun Studio 11 compiler has changed the behaviour of integer
431 # wrap arounds and so a flag is needed to use the legacy behaviour
432 # (without this flag panics/hangs could be exposed within the source).
433 #
434 sparc_IROPTFLAG      = -W2,-xwrap_int
435 sparcv9_IROPTFLAG    = -W2,-xwrap_int
436 i386_IROPTFLAG       =
437 amd64_IROPTFLAG      =
438
439 IROPTFLAG            = $(MACH)_IROPTFLAG
440 IROPTFLAG64          = $(MACH64)_IROPTFLAG

442 # In most places, assignments to these macros should be appended with +=
443 # (CPPFLAGS.master allows values to be prepended to CPPFLAGS).
444 sparc_CFLAGS=        $(sparc_XARCH)
445 sparcv9_CFLAGS=      $(sparcv9_XARCH) -dalign $(CCVERBOSE)
446 i386_CFLAGS=         $(i386_XARCH)
447 amd64_CFLAGS=        $(amd64_XARCH)

449 #
450 sparc_COPTFLAG=      -xO3
451 sparcv9_COPTFLAG=    -xO3
452 i386_COPTFLAG=       -xO3
453 amd64_COPTFLAG=     -xO3
454 COPTFLAG=           $(MACH)_COPTFLAG
455 COPTFLAG64=         $(MACH64)_COPTFLAG

```

```

457 #
458 # tradeoff time for space (smaller is better)
459 #
460 sparc_SPACEFLAG      = -xspace -W0,-Lt
461 sparcv9_SPACEFLAG    = -xspace -W0,-Lt
462 i386_SPACEFLAG       = -xspace
463 amd64_SPACEFLAG      =
464 SPACEFLAG            = $(MACH)_SPACEFLAG
465 SPACEFLAG64          = $(MACH64)_SPACEFLAG

467 sparc_XREGSFLAG      = -xregs=no%appl
468 sparcv9_XREGSFLAG    = -xregs=no%appl
469 i386_XREGSFLAG       =
470 amd64_XREGSFLAG      =
471 XREGSFLAG            = $(MACH)_XREGSFLAG
472 XREGSFLAG64          = $(MACH64)_XREGSFLAG

474 CFLAGS=              $(COPTFLAG) $(MACH)_CFLAGS $(SPACEFLAG) $(CCMODE) \
475                      $(ILDOFF) $(C99MODE) $(IROPTFLAG)
476
477 CFLAGS64=            $(COPTFLAG64) $(MACH64)_CFLAGS $(SPACEFLAG64) $(CCMODE64) \
478                      $(ILDOFF) $(C99MODE) $(IROPTFLAG64)

480 DTEXTDOM=-DTEXT_DOMAIN="\$(TEXT_DOMAIN)" # For messaging.
481 CPPFLAGS.master=$(DTEXTDOM) \
482 -I$(ROOTINCLUDE) \
483 -I$(ROOTSFWINCLUDE) \
484 $(ENVCPPFLAGS1) $(ENVCPPFLAGS2) $(ENVCPPFLAGS3) $(ENVCPPFLAGS4)
485 CPPFLAGS=            $(CPPFLAGS.master)
486 AS_CPPFLAGS=         $(CPPFLAGS.master)
487 JAVAFLAGS=          -deprecation

489 #
490 # For source message catalogue
491 #
492 .SUFFIXES: $(SUFFIXES) .po
493 MSGROOT= $(ROOT)/catalog
494 MSGDOMAIN= $(MSGROOT)/$(TEXT_DOMAIN)
495 COMPILER.cpp= $(CC) -E -C $(CFLAGS) $(CPPFLAGS)
496 XGETTEXT= xgettext
497 XGETTEXTFLAGS= -c TRANSLATION_NOTE
498 BUILD.po= $(XGETTEXT) $(XGETTEXTFLAGS) $<.i ;\
499           $(RM) $@ ;\
500           sed "/^domain/d" < messages.po > $@ ;\
501           $(RM) messages.po $<.i
502 #
503 # This is overwritten by local Makefile when PROG is a list.
504 #
505 POFILE= $(PROG).po

507 COMPAT_VERSION= 4

509 sparc_CCFLAGS=        -compat=$(COMPAT_VERSION) \
510                      -Option ccfe -messages=no%anachronism
511 sparcv9_CCFLAGS=     $(sparcv9_XARCH) -dalign -compat=5 \
512                      -Option ccfe -messages=no%anachronism \
513                      -Option ccfe -features=no%conststrings
514 i386_CCFLAGS=        -compat=$(COMPAT_VERSION) \
515                      -Option ccfe -messages=no%anachronism \
516                      -Option ccfe -features=no%conststrings
517 amd64_CCFLAGS=       $(amd64_XARCH) -compat=5 \
518                      -Option ccfe -messages=no%anachronism \
519                      -Option ccfe -features=no%conststrings

521 sparc_CCOPTFLAG=     -xO3

```

```

522 sparvcv9_CCOPTFLAG=      -xO3
523 i386_CCOPTFLAG=         -xO3
524 amd64_CCOPTFLAG=        -xO3

526 CCOPTFLAG=              $( $(MACH)_CCOPTFLAG )
527 CCOPTFLAG64=            $( $(MACH64)_CCOPTFLAG )
528 CCFLAGS=                 $( CCOPTFLAG ) $( $(MACH)_CCFLAGS )
529 CCFLAGS64=               $( CCOPTFLAG64 ) $( $(MACH64)_CCFLAGS )
530 #
531 #
532 LDLIBS.cmd =             $(ENVLDLIBS1) $(ENVLDLIBS2) $(ENVLDLIBS3)
533 LDFLAGS.cmd =            -L$(ROOTSFWLIB) -R/usr/sfw/lib
534 LDFLAGS.cmd +=           $(STRIPFLAG) $(ENVLDFLAGS1) $(ENVLDFLAGS2) $(ENVLDFLAGS3)
535 LDFLAGS.lib =            -L$(ROOTSFWLIB) -R/usr/sfw/lib
536 LDLIBS.lib =             $(ENVLDLIBS1) $(ENVLDLIBS2) $(ENVLDLIBS3)
537 #
538 # Define compilation macros.
539 #
540 COMPILE.c=                $(CC) $(CFLAGS) $(CPPFLAGS) -c
541 COMPILE64.c=              $(CC64) $(CFLAGS64) $(CPPFLAGS) -c
542 COMPILE.cc=               $(CCC) $(CCFLAGS) $(CPPFLAGS) -c
543 COMPILE64.cc=             $(CCC64) $(CCFLAGS64) $(CPPFLAGS) -c
544 COMPILE.s=                $(AS) $(ASFLAGS) $(AS_CPPFLAGS)

546 CLASSPATH=               .:$(WEBSTART_HOME)/classes
547 COMPILE.java=            $(JAVAC) $(JAVAFLAGS) -classpath $(CLASSPATH)

549 #
550 # Link time macros
551 #
552 CCNEEDED                  = -lc -lc
553 COMPILE64.s=              $(AS) $(ASFLAGS) $( $(MACH64)_XARCH ) $(AS_CPPFLAGS)
554 LINK.c=                   $(CC) $(CFLAGS) $(CPPFLAGS) $(LDFLAGS)
555 LINK64.c=                  $(CC64) $(CFLAGS64) $(CPPFLAGS) $(LDFLAGS)
556 LINK.cc=                   $(CCC) $(CCFLAGS) $(CPPFLAGS) -norunpath -nolib $(LDFLAGS) $(CCN
557 LINK64.cc=                 $(CCC64) $(CCFLAGS64) $(CPPFLAGS) -norunpath -nolib $(LDFLAGS) $(
558 LINT.c=                    $(LINT) $(LINTFLAGS) $(CPPFLAGS)
559 LINT64.c=                  $(LINT) $(LINTFLAGS64) $(CPPFLAGS)

561 # For some future builds, NATIVE_MACH and MACH might be different.
562 # Therefore, NATIVE_MACH needs to be redefined in the
563 # environment as 'uname -p' to override this macro.
564 #
565 # For now at least, we cross-compile amd64 on i386 machines.
566 NATIVE_MACH=              $(MACH:amd64=i386)

568 # Define native compilation macros
569 #

571 # Base directory where compilers are loaded.
572 # Defined here so it can be overridden by developer.
573 #
574 SPRO_ROOT=                 $(BUILD_TOOLS)/SUNWsprio
575 SPRO_VROOT=                $(SPRO_ROOT)/SS12

577 # All sub-Makefiles should pass a specific path when building
578 # (such as with configure/make/perl) to ensure that the right
579 # compiler above is found rather than one in the build path
580 # (which might be older/newer depending on what the build machine
581 # has in /opt/SUNWsprio or /opt/teamware). This is the default
582 # which can be overridden.
583 #
584 SFW_PATH=$(SPRO_VROOT)/bin:$(PATH)

586 # Specify platform compiler versions for languages
587 # that we use (currently only c and c++).
```

```

588 #
589 sparc_CC=                  $(SPRO_VROOT)/bin/cc
590 sparc_CCC=                 $(SPRO_VROOT)/bin/CC
591 sparc_AS=                  /usr/ccs/bin/as
592 sparc_LD=                  /usr/ccs/bin/ld

594 sparvcv9_CC=               $(SPRO_VROOT)/bin/cc
595 sparvcv9_CCC=              $(SPRO_VROOT)/bin/CC
596 sparvcv9_AS=               /usr/ccs/bin/as
597 sparvcv9_LD=               /usr/ccs/bin/ld

599 i386_CC=                   $(SPRO_VROOT)/bin/cc
600 i386_CCC=                  $(SPRO_VROOT)/bin/CC
601 i386_AS=                   /usr/ccs/bin/as
602 i386_LD=                   /usr/ccs/bin/ld

604 amd64_CC=                  $(SPRO_VROOT)/bin/cc
605 amd64_CCC=                 $(SPRO_VROOT)/bin/CC
606 amd64_AS=                  $(SPRO_VROOT)/bin/as
607 amd64_LD=                  /usr/ccs/bin/ld

609 NATIVECC=                  $( $(NATIVE_MACH)_CC )
610 NATIVECCC=                  $( $(NATIVE_MACH)_CCC )
611 NATIVEAS=                   $( $(NATIVE_MACH)_AS )
612 NATIVELD=                   $( $(NATIVE_MACH)_LD )

614 CC=                        $(NATIVECC)
615 CCC=                        $(NATIVECCC)
616 AS=                          $(NATIVEAS)
617 LD=                          $(NATIVELD)

619 GCC=                        /usr/sfw/bin/gcc
620 GXX=                          /usr/sfw/bin/g++

622 CC64=                       $( $(MACH64)_CC )
623 CCC64=                       $( $(MACH64)_CCC )
624 AS64=                        $( $(MACH64)_AS )
625 LD64=                        $( $(MACH64)_LD )

627 #
628 # Use the same lint as the cc compiler
629 #
630 sparc_LINT=                  $(SPRO_VROOT)/bin/lint
631 i386_LINT=                   $(SPRO_VROOT)/bin/lint
632 LINT=                         $( $(MACH)_LINT )

634 # Rules (normally from make.rules) and macros which are used for post
635 # processing files. Normally, these do stripping of the comment section
636 # automatically.
637 #   RELEASE_CM:                Should be edited to reflect the release.
638 #   POST_PROCESS_O:           Post-processing for '.o' files.
639 #   POST_PROCESS_A:           Post-processing for '.a' files (currently null).
640 #   POST_PROCESS_SO:          Post-processing for '.so' files.
641 #   POST_PROCESS:             Post-processing for executable files (no suffix).
642 # Note that these macros are not completely generalized as they are to be
643 # used with the file name to be processed following.
644 #
645 # It is left as an exercise to Release Engineering to embellish the generation
646 # of the release comment string.
647 #
648 #   If this is a standard development build:
649 #       compress the comment section (mcs -c)
650 #       add the standard comment (mcs -a $(RELEASE_CM))
651 #       add the development specific comment (mcs -a $(DEV_CM))
652 #
653 #   If this is an installation build:
```

```

654 #         delete the comment section (mcs -d)
655 #         add the standard comment (mcs -a $(RELEASE_CM))
656 #         add the development specific comment (mcs -a $(DEV_CM))
657 #
658 #     If this is an release build:
659 #         delete the comment section (mcs -d)
660 #         add the standard comment (mcs -a $(RELEASE_CM))
661 #
662 #     Sigh, ... The declaration POUND_SIGN is always '#'. This is just needed
663 #     to get around the make **bug** that '#' is always a comment delimiter,
664 #     even when escaped or quoted.
665 #
666 # The following list of macros are used in the definition of RELEASE_CM
667 # which is used to label all binaries in the build:
668 #
669 #     SFWRELEASE      Specific release of the build, eg: 5.2
670 #     SFWVERSION      Version of the build (alpha, beta, Generic)
671 #     PATCHID         If this is a patch this value should contain
672 #                     the patchid value (eg: "Generic 100832-01"), otherwise
673 #                     it will be set to $(SFWVERSION)
674 #     RELEASE_DATE    Date of the Release Build
675 #     PATCH_DATE      Date the patch was created, if this is blank it
676 #                     will default to the RELEASE_DATE
677 #
678 POUND_SIGN:=sh= echo \043
679 SFWVERS=     "11.11.0"
680 SFWRELEASE=  5.11
681 SFWVERSION=  SunOS Development
682 PATCHID=    $(SFWVERSION)
683 RELEASE_DATE= October 2007
684 PATCH_DATE= $(RELEASE_DATE)
685 RELEASE_CM= "@($(POUND_SIGN))SunOS $(SFWRELEASE) $(PATCHID) $(PATCH_DATE)"
686 DEV_CM=     "@($(POUND_SIGN))SunOS Internal Development: '$(ECHO) $$LOGNAME'"
687 #
688 PROCESS_COMMENT= @?${MCS} -c -a $(RELEASE_CM) -a $(DEV_CM)
689 $(STRIP_COMMENTS)PROCESS_COMMENT= @?${MCS} -d -a $(RELEASE_CM) -a $(DEV_CM)
690 $(RELEASE_BUILD)PROCESS_COMMENT= @?${MCS} -d -a $(RELEASE_CM)
691 #
692 POST_PROCESS_O= $(PROCESS_COMMENT) $@
693 POST_PROCESS_A=
694 POST_PROCESS_SO= $(PROCESS_COMMENT) $@
695 POST_PROCESS= $(PROCESS_COMMENT) $@
696 #
697 #     Default build rules which perform comment section post-processing.
698 #
699 .c:
700     $(LINK.c) -o $@ $< $(LDLIBS)
701     $(POST_PROCESS)
702 .c.o:
703     $(COMPILE.c) $(OUTPUT_OPTION) $<
704     $(POST_PROCESS_O)
705 .c.a:
706     $(COMPILE.c) -o $% $<
707     $(PROCESS_COMMENT) $%
708     $(AR) $(ARFLAGS) $@ $%
709     $(RM) $%
710 .s.o:
711     $(COMPILE.s) -o $@ $<
712     $(POST_PROCESS_O)
713 .s.a:
714     $(COMPILE.s) -o $% $<
715     $(PROCESS_COMMENT) $%
716     $(AR) $(ARFLAGS) $@ $%
717     $(RM) $%
718 .cc:
719     $(LINK.cc) -o $@ $< $(LDLIBS)

```

```

720     $(POST_PROCESS)
721 .cc.o:
722     $(COMPILE.cc) $(OUTPUT_OPTION) $<
723     $(POST_PROCESS_O)
724 .cc.a:
725     $(COMPILE.cc) -o $% $<
726     $(AR) $(ARFLAGS) $@ $%
727     $(PROCESS_COMMENT) $%
728     $(RM) $%
729 .y:
730     $(YACC.y) $<
731     $(LINK.c) -o $@ y.tab.c $(LDLIBS)
732     $(POST_PROCESS)
733     $(RM) y.tab.c
734 .y.o:
735     $(YACC.y) $<
736     $(COMPILE.c) -o $@ y.tab.c
737     $(POST_PROCESS_O)
738     $(RM) y.tab.c
739 .l:
740     $(RM) $*.c
741     $(LEX.l) $< > $*.c
742     $(LINK.c) -o $@ $*.c -ll $(LDLIBS)
743     $(POST_PROCESS)
744     $(RM) $*.c
745 .l.o:
746     $(RM) $*.c
747     $(LEX.l) $< > $*.c
748     $(COMPILE.c) -o $@ $*.c
749     $(POST_PROCESS_O)
750     $(RM) $*.c
751 #
752 .java.class:
753     $(COMPILE.java) $<
754 #
755 #     Rules to create message catalogue files from
756 #     .c, .y and .l files
757 #
758 #
759 .c.po:
760     $(COMPILE.cpp) $< > $<.i
761     $(BUILD.po)
762 #
763 .y.po:
764     yacc -d $<
765     $(COMPILE.cpp) y.tab.c > $<.i
766     $(BUILD.po)
767     $(RM) y.tab.c
768 #
769 .l.po:
770     lex $<
771     $(COMPILE.cpp) lex.yy.c > $<.i
772     $(BUILD.po)
773     $(RM) lex.yy.c
774 #
775 #     Rules to perform stylistic checks
776 #
777 #
778 .SUFFIXES: $(SUFFIXES) .x
779 #
780 $(ROOTBIN)/%: %
781     $(INS.file)
782 #
783 $(ROOTLIB)/%: %
784     $(INS.file)

```

new/usr/src/Makefile.master

13

786 \$(ROOTBIN64)/%: %
787 \$(INS.file)

789 \$(ROOTLIB64)/%: %
790 \$(INS.file)

792 \$(ROOTBIN32)/%: %
793 \$(INS.file)

795 \$(ROOTSBIN)/%: %
796 \$(INS.file)

798 \$(ROOTUSRSBIN)/%: %
799 \$(INS.file)

801 \$(ROOTUSRSBIN32)/%: %
802 \$(INS.file)

804 \$(ROOTUSRSBIN64)/%: %
805 \$(INS.file)

807 \$(ROOTETC)/%: %
808 \$(INS.file)

810 \$(ROOTSFWBIN)/%: %
811 \$(INS.file)

813 \$(ROOTSFWSBIN)/%: %
814 \$(INS.file)

816 \$(ROOTSFWINFO)/%: %
817 \$(INS.file)

819 \$(ROOTSFWLIB)/%: %
820 \$(INS.file)

822 \$(ROOTLIBEXEC)/%: %
823 \$(INS.file)

825 \$(ROOTSFWMAN1)/%: %
826 \$(INS.file)

828 \$(ROOTSFWMAN1M)/%: %
829 \$(INS.file)

831 \$(ROOTSFWMANN)/%: %
832 \$(INS.file)

834 \$(ROOTSFWMAN3)/%: %
835 \$(INS.file)

837 \$(ROOTSFWMAN4)/%: %
838 \$(INS.file)

840 \$(ROOTSFWMAN5)/%: %
841 \$(INS.file)

843 \$(ROOTSFWMAN7)/%: %
844 \$(INS.file)

846 \$(ROOTSFWSHARE)/%: %
847 \$(INS.file)

new/usr/src/Targetdirs

1

```
*****
58096 Fri Jul 17 10:02:02 2009
new/usr/src/Targetdirs
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)Targetdirs 1.224 09/07/17 SMI"
27 # ident "@(#)Targetdirs 1.223 09/07/10 SMI"
28 #
29 #
30 # The list is built of owner-group combinations. ROOT.SYS occurs twice
31 # because some directories owned by root and in group sys are subdirectories
32 # of directories having other owner-group attributes.
33 #
34 # It is easier to think in terms of directory names without the ROOT macro
35 # prefix. ROOTDIRS is TARGETDIRS with ROOT prefixes. It is necessary
36 # to work with ROOT prefixes when controlling conditional assignments.
37 #
38 # The macro SYM.ROOT.SYS means symlinks with owner root and group sys.
39 #
40 SYMLINKS= $(SYM.ROOT.SYS) $(SYM.ROOT.BIN) $(SYM.OTHERS)
41 #
42 SYMLINKS += $(SYM.ROOT.BIN64)
43 #
44 TARGETDIRS= $(ROOT.SYS) $(ROOT.BIN) $(BIN.BIN) $(NOBODY.BIN) \
45 $(WEBSERVD.BIN) $(ROOT.OTHER)
46 #
47 TARGETDIRS += $(LP.LP) $(ROOT.LP)
48 #
49 TARGETDIRS += $(ROOT.BIN64) $(SYM.USRCCSLIB64)
50 #
51 TARGETDIRS += $(SYMLINKS)
52 #
53 SOL_REV:sh=uname -r | sed "s,^5\.,2\.,,"
54 #
55 PERLARCH:sh=arch
56 #
57 i386_ROOT.BIN= \
58 /lib/$(MACH64) \
59 /usr/lib/emacs/22.1/i386-pc-solaris$(SOL_REV) \
60 /usr/sbin/$(MACH32)
```

new/usr/src/Targetdirs

2

```
62 sparc_ROOT.BIN= \
63 /lib/$(MACH64) \
64 /usr/lib/emacs/22.1/sparc-sun-solaris$(SOL_REV)
65 #
66 ROOT.SYS= \
67 /etc \
68 /etc/inet \
69 /etc/init.d \
70 /etc/rcS.d \
71 /etc/rc0.d \
72 /etc/rc1.d \
73 /etc/rc2.d \
74 /etc/rc3.d \
75 /etc/security \
76 /etc/security/pam_pkcs11 \
77 /etc/security/pam_pkcs11/cacerts \
78 /etc/security/pam_pkcs11/crls \
79 /etc/stunnel \
80 /etc/mysql \
81 /etc/mysql/5.0 \
82 /etc/mysql/5.1 \
83 /etc/odbc \
84 /etc/odbc/ODBCDataSources \
85 /etc/openldap \
86 /etc/openldap/schema \
87 /usr \
88 /usr/gnu/share \
89 /usr/share \
90 /var \
91 /var/ntp \
92 /var/ntp/ntpstats \
93 /var/run \
94 /var/run/openldap \
95 /var/svc \
96 /var/svc/manifest \
97 /var/svc/manifest/application \
98 /var/svc/manifest/application/management \
99 /var/svc/manifest/application/database \
100 /var/svc/manifest/network \
101 /var/svc/manifest/network/ldap \
102 /var/svc/manifest/network/loadbalancer \
103 /var/svc/manifest/network/routing \
104 /var/svc/manifest/network/ssl \
105 /var/svc/manifest/system
106 #
107 # Note: Do not add subdirs (other than logs, proxy and libexec)
108 # of /var/apache2/2.2 to the list. The apache2 installation will
109 # not overwrite existing directories, so the contents of those
110 # dirs won't get installed if they exist.
111 #
112 ROOT.BIN= \
113 /lib/$(MACH)_ROOT.BIN \
114 /etc/sfw \
115 /etc/sfw/private \
116 /etc/sfw/mysql \
117 /etc/webmin \
118 /etc/apache \
119 /etc/apache2 \
120 /etc/apache2/2.2 \
121 /etc/apache2/2.2/conf.d \
122 /etc/ejabberd \
123 /etc/default \
124 /etc/lighttpd \
125 /etc/lighttpd/1.4 \
126 /etc/lighttpd/1.4/conf.d \
```

new/usr/src/Targetdirs

```

127 /etc/logrotate.d \
128 /etc/openswan \
129 /etc/php \
130 /etc/php/5.2 \
131 /etc/php/5.2/conf.d \
132 /etc/privoxy \
133 /etc/privoxy/templates \
134 /etc/squid \
135 /etc/wiseman \
136 /etc/wiseman/schemas \
137 /lib \
138 /lib/svc \
139 /lib/svc/method \
140 /usr/apache \
141 /usr/apache/bin \
142 /usr/apache/htdocs \
143 /usr/apache/include \
144 /usr/apache/jserv \
145 /usr/apache/jserv/docs \
146 /usr/apache/libexec \
147 /usr/apache/man \
148 /usr/apache/man/man1 \
149 /usr/apache/man/man3 \
150 /usr/apache/man/man8 \
151 /usr/apache/perl5 \
152 /usr/apr/1.3 \
153 /usr/apr/1.3/bin \
154 /usr/apr/1.3/build \
155 /usr/apr/1.3/lib \
156 /usr/apr/1.3/include \
157 /usr/apr-util/1.3 \
158 /usr/apr-util/1.3/bin \
159 /usr/apr-util/1.3/lib \
160 /usr/apr-util/1.3/include \
161 /usr/apache2 \
162 /usr/apache2/2.2 \
163 /usr/apache2/2.2/bin \
164 /usr/apache2/2.2/include \
165 /usr/apache2/2.2/lib \
166 /usr/apache2/2.2/lib/perl \
167 /usr/apache2/2.2/libexec \
168 /usr/apache2/2.2/man \
169 /usr/apache2/2.2/man/man1 \
170 /usr/apache2/2.2/man/man3 \
171 /usr/apache2/2.2/man/man8 \
172 /usr/apache2/2.2/manual \
173 /usr/bin \
174 /usr/bin/$(MACH32) \
175 /usr/benchmarks \
176 /usr/benchmarks/bonnie++ \
177 /usr/benchmarks/iozone \
178 /usr/demo \
179 /usr/demo/aalib \
180 /usr/demo/bsh \
181 /usr/demo/bsh/webapps \
182 /usr/demo/expect \
183 /usr/demo/expect/man \
184 /usr/demo/expect/man/man1 \
185 /usr/demo/lua \
186 /usr/demo/lua/test \
187 /usr/demo/mercurial \
188 /usr/demo/mercurial/git-viz \
189 /usr/demo/mercurial/hgsh \
190 /usr/demo/mercurial/vim \
191 /usr/demo/readline \
192 /usr/gnu \

```

3

new/usr/src/Targetdirs

```

193 /usr/gnu/bin \
194 /usr/gnu/share/man \
195 /usr/gnu/share/man/man1 \
196 /usr/gnu/$(MACH)-$(MACH_TYPE)-solaris$(SOL_REV) \
197 /usr/gnu/$(MACH)-$(MACH_TYPE)-solaris$(SOL_REV)/bin \
198 /usr/gnu/$(MACH)-$(MACH_TYPE)-solaris$(SOL_REV)/lib \
199 /usr/gnu/$(MACH)-$(MACH_TYPE)-solaris$(SOL_REV)/lib/ldscripts \
200 /usr/grails \
201 /usr/grails/1.0.3 \
202 /usr/include \
203 /usr/include/autoopts \
204 /usr/include/brevity \
205 /usr/include/cimple \
206 /usr/include/curl \
207 /usr/include/editline \
208 /usr/include/fastcgi \
209 /usr/include/gd2 \
210 /usr/include/gmp \
211 /usr/include/gimp-print \
212 /usr/include/guile \
213 /usr/include/guile/srfi \
214 /usr/include/idn \
215 /usr/include/konkret \
216 /usr/include/lcms \
217 /usr/include/libmng \
218 /usr/include/libguile \
219 /usr/include/libmemcached \
220 /usr/include/libnet \
221 /usr/include/libxml2 \
222 /usr/include/libxml2/libxml \
223 /usr/include/libxslt \
224 /usr/include/libxslt \
225 /usr/include/mpfr \
226 /usr/include/neon \
227 /usr/include/odbc \
228 /usr/include/OpenEXR \
229 /usr/include/openssl \
230 /usr/include/openswan \
231 /usr/include/openswan/cim \
232 /usr/include/openswan/cpp \
233 /usr/include/openswan/u \
234 /usr/include/pcre \
235 /usr/include/readline \
236 /usr/include/sane \
237 /usr/include/svn \
238 /usr/include/tidy \
239 /usr/include/torrent \
240 /usr/include/torrent/data \
241 /usr/include/torrent/peer \
242 /usr/include/wx-2.8 \
243 /usr/include/wx-2.8/wx \
244 /usr/include/wx-2.8/wx/ai \
245 /usr/include/wx-2.8/wx/generic \
246 /usr/include/wx-2.8/wx/gtk \
247 /usr/include/wx-2.8/wx/gtk/gnome \
248 /usr/include/wx-2.8/wx/gtk/private \
249 /usr/include/wx-2.8/wx/gtk1 \
250 /usr/include/wx-2.8/wx/html \
251 /usr/include/wx-2.8/wx/ogl \
252 /usr/include/wx-2.8/wx/mac \
253 /usr/include/wx-2.8/wx/mac/corefoundation \
254 /usr/include/wx-2.8/wx/msdos \
255 /usr/include/wx-2.8/wx/msw \
256 /usr/include/wx-2.8/wx/msw/ole \
257 /usr/include/wx-2.8/wx/msw/wince \
258 /usr/include/wx-2.8/wx/private \

```

4

new/usr/src/Targetdirs

5

```

259 /usr/include/wx-2.8/wx/protocol \
260 /usr/include/wx-2.8/wx/richtext \
261 /usr/include/wx-2.8/wx/stc \
262 /usr/include/wx-2.8/wx/unix \
263 /usr/include/wx-2.8/wx/xml \
264 /usr/include/wx-2.8/wx/xrc \
265 /usr/include/xmlrpc-c \
266 /usr/include/yaz \
267 /usr/jruby \
268 /usr/jruby/1.1.3 \
269 /usr/lib \
270 /usr/lib/$(MACH32) \
271 /usr/lib/7z \
272 /usr/lib/7z/Codecs \
273 /usr/lib/awk \
274 /usr/lib/awstats \
275 /usr/lib/awstats/tools \
276 /usr/lib/awstats/tools/webmin \
277 /usr/lib/awstats/tools/xslt \
278 /usr/lib/bcc \
279 /usr/lib/clisp \
280 /usr/lib/clisp/base \
281 /usr/lib/clisp/data \
282 /usr/lib/clisp/full \
283 /usr/lib/clisp/linkkit \
284 /usr/lib/conman \
285 /usr/lib/conman/examples \
286 /usr/lib/conman/exec \
287 /usr/lib/emacs \
288 /usr/lib/emacs/22.1 \
289 /usr/lib/ejabberd \
290 /usr/lib/erlang \
291 /usr/lib/help \
292 /usr/lib/help/auths \
293 /usr/lib/help/auths/locale \
294 /usr/lib/help/auths/locale/C \
295 /usr/lib/inet \
296 /usr/lib/libusb_plugins \
297 /usr/lib/locale \
298 /usr/lib/locale/be \
299 /usr/lib/locale/be/LC_MESSAGES \
300 /usr/lib/locale/C \
301 /usr/lib/locale/C/LC_MESSAGES \
302 /usr/lib/locale/ca \
303 /usr/lib/locale/ca/LC_MESSAGES \
304 /usr/lib/locale/cs \
305 /usr/lib/locale/cs/LC_MESSAGES \
306 /usr/lib/locale/da \
307 /usr/lib/locale/da/LC_MESSAGES \
308 /usr/lib/locale/de \
309 /usr/lib/locale/de/LC_MESSAGES \
310 /usr/lib/locale/en_GB \
311 /usr/lib/locale/en_GB/LC_MESSAGES \
312 /usr/lib/locale/eo \
313 /usr/lib/locale/eo/LC_MESSAGES \
314 /usr/lib/locale/es \
315 /usr/lib/locale/es/LC_MESSAGES \
316 /usr/lib/locale/et \
317 /usr/lib/locale/et/LC_MESSAGES \
318 /usr/lib/locale/fi \
319 /usr/lib/locale/fi/LC_MESSAGES \
320 /usr/lib/locale/finnish \
321 /usr/lib/locale/finnish/LC_MESSAGES \
322 /usr/lib/locale/fr \
323 /usr/lib/locale/fr/LC_MESSAGES \
324 /usr/lib/locale/french \

```

new/usr/src/Targetdirs

6

```

325 /usr/lib/locale/french/LC_MESSAGES \
326 /usr/lib/locale/ga \
327 /usr/lib/locale/ga/LC_MESSAGES \
328 /usr/lib/locale/german \
329 /usr/lib/locale/german/LC_MESSAGES \
330 /usr/lib/locale/gl \
331 /usr/lib/locale/gl/LC_MESSAGES \
332 /usr/lib/locale/greek \
333 /usr/lib/locale/greek/LC_MESSAGES \
334 /usr/lib/locale/he \
335 /usr/lib/locale/he/LC_MESSAGES \
336 /usr/lib/locale/hr \
337 /usr/lib/locale/hr/LC_MESSAGES \
338 /usr/lib/locale/id \
339 /usr/lib/locale/id/LC_MESSAGES \
340 /usr/lib/locale/it \
341 /usr/lib/locale/it/LC_MESSAGES \
342 /usr/lib/locale/italian \
343 /usr/lib/locale/italian/LC_MESSAGES \
344 /usr/lib/locale/ja \
345 /usr/lib/locale/ja/LC_MESSAGES \
346 /usr/lib/locale/ko \
347 /usr/lib/locale/ko/LC_MESSAGES \
348 /usr/lib/locale/ms \
349 /usr/lib/locale/ms/LC_MESSAGES \
350 /usr/lib/locale/nb \
351 /usr/lib/locale/nb/LC_MESSAGES \
352 /usr/lib/locale/nl \
353 /usr/lib/locale/nl/LC_MESSAGES \
354 /usr/lib/locale/no \
355 /usr/lib/locale/no/LC_MESSAGES \
356 /usr/lib/locale/pl \
357 /usr/lib/locale/pl/LC_MESSAGES \
358 /usr/lib/locale/pt \
359 /usr/lib/locale/pt/LC_MESSAGES \
360 /usr/lib/locale/pt_BR \
361 /usr/lib/locale/pt_BR/LC_MESSAGES \
362 /usr/lib/locale/ro \
363 /usr/lib/locale/ro/LC_MESSAGES \
364 /usr/lib/locale/ru \
365 /usr/lib/locale/ru/LC_MESSAGES \
366 /usr/lib/locale/russian \
367 /usr/lib/locale/russian/LC_MESSAGES \
368 /usr/lib/locale/rw \
369 /usr/lib/locale/rw/LC_MESSAGES \
370 /usr/lib/locale/sk \
371 /usr/lib/locale/sk/LC_MESSAGES \
372 /usr/lib/locale/sl \
373 /usr/lib/locale/sl/LC_MESSAGES \
374 /usr/lib/locale/spanish \
375 /usr/lib/locale/spanish/LC_MESSAGES \
376 /usr/lib/locale/sv \
377 /usr/lib/locale/sv/LC_MESSAGES \
378 /usr/lib/locale/tr \
379 /usr/lib/locale/tr/LC_MESSAGES \
380 /usr/lib/locale/uk \
381 /usr/lib/locale/uk/LC_MESSAGES \
382 /usr/lib/locale/ukrainian \
383 /usr/lib/locale/ukrainian/LC_MESSAGES \
384 /usr/lib/locale/vi \
385 /usr/lib/locale/vi/LC_MESSAGES \
386 /usr/lib/locale/zh_CN \
387 /usr/lib/locale/zh_CN/LC_MESSAGES \
388 /usr/lib/locale/zh_TW \
389 /usr/lib/locale/zh_TW/LC_MESSAGES \
390 /usr/lib/meld \

```

```

391 /usr/lib/meld/vc \
392 /usr/lib/ocaml \
393 /usr/lib/ocaml/caml \
394 /usr/lib/ocaml/camlp4 \
395 /usr/lib/ocaml/camlp4/Camlp4Filters \
396 /usr/lib/ocaml/camlp4/Camlp4Parsers \
397 /usr/lib/ocaml/camlp4/Camlp4Printers \
398 /usr/lib/ocaml/camlp4/Camlp4Top \
399 /usr/lib/ocaml/labltk \
400 /usr/lib/ocaml/ocamlbuild \
401 /usr/lib/ocaml/ocamldoc \
402 /usr/lib/ocaml/ocamldoc/custom \
403 /usr/lib/ocaml/stublibs \
404 /usr/lib/ocaml/threads \
405 /usr/lib/ocaml/vmthreads \
406 /usr/lib/openldap \
407 /usr/lib/openldap/bin \
408 /usr/lib/openldap/bin/$(MACH64) \
409 /usr/lib/openwsman \
410 /usr/lib/openwsman/authenticators \
411 /usr/lib/openwsman/plugins \
412 /usr/lib/nethack \
413 /usr/lib/opensub_backend \
414 /usr/lib/pam_pkcs11 \
415 /usr/lib/pkgconfig \
416 /usr/lib/python2.4 \
417 /usr/lib/python2.4/site-packages \
418 /usr/lib/python2.4/site-packages/epydoc \
419 /usr/lib/python2.4/site-packages/epydoc/docwriter \
420 /usr/lib/python2.4/site-packages/epydoc/markup \
421 /usr/lib/python2.4/site-packages/epydoc/test \
422 /usr/lib/python2.4/vendor-packages \
423 /usr/lib/python2.4/vendor-packages/64 \
424 /usr/lib/python2.4/vendor-packages/hgext \
425 /usr/lib/python2.4/vendor-packages/hgext/convert \
426 /usr/lib/python2.4/vendor-packages/hgext/highlight \
427 /usr/lib/python2.4/vendor-packages/hgext/zeroconf \
428 /usr/lib/python2.4/vendor-packages/mercurial \
429 /usr/lib/python2.4/vendor-packages/mercurial/hgweb \
430 /usr/lib/python2.4/vendor-packages/mercurial/templates \
431 /usr/lib/python2.4/vendor-packages/mercurial/templates/atom \
432 /usr/lib/python2.4/vendor-packages/mercurial/templates/coal \
433 /usr/lib/python2.4/vendor-packages/mercurial/templates/gitweb \
434 /usr/lib/python2.4/vendor-packages/mercurial/templates/monoblue \
435 /usr/lib/python2.4/vendor-packages/mercurial/templates/paper \
436 /usr/lib/python2.4/vendor-packages/mercurial/templates/raw \
437 /usr/lib/python2.4/vendor-packages/mercurial/templates/rss \
438 /usr/lib/python2.4/vendor-packages/mercurial/templates/spartan \
439 /usr/lib/python2.4/vendor-packages/mercurial/templates/static \
440 /usr/lib/python2.4/vendor-packages/libsvn \
441 /usr/lib/python2.4/vendor-packages/rdiff_backup \
442 /usr/lib/python2.4/vendor-packages/svn \
443 /usr/lib/python2.4/vendor-packages/OpenSSL \
444 /usr/lib/python2.4/vendor-packages/OpenSSL/64 \
445 /usr/lib/python2.4/vendor-packages/OpenSSL/test \
446 /usr/lib/python2.4/vendor-packages/zenmapCore \
447 /usr/lib/python2.4/vendor-packages/zenmapGUI \
448 /usr/lib/python2.6 \
449 /usr/lib/python2.6/vendor-packages \
450 /usr/lib/python2.6/vendor-packages/OpenSSL \
451 /usr/lib/python2.6/vendor-packages/OpenSSL/64 \
452 /usr/lib/python2.6/vendor-packages/OpenSSL/test \
453 /usr/lib/python2.6/vendor-packages/Logilab \
454 /usr/lib/python2.6/vendor-packages/Logilab/common \
455 /usr/lib/python2.6/vendor-packages/Logilab/common/test \
456 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data \

```

```

457 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/file_differ_
458 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/file_differ_
459 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/file_differ_
460 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/subdir_diffe
461 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/subdir_diffe
462 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/reference_di
463 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/reference_di
464 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/sub \
465 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/same_dir \
466 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/same_dir/sub
467 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/content_diff
468 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/content_diff
469 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/find_test \
470 /usr/lib/python2.6/vendor-packages/Logilab/common/test/data/find_test/su
471 /usr/lib/python2.6/vendor-packages/Logilab/common/ureports \
472 /usr/lib/python2.6/vendor-packages/Logilab/common-0.40.0-py2.6.egg-info
473 /usr/lib/python2.6/vendor-packages/Logilab/astng \
474 /usr/lib/python2.6/vendor-packages/Logilab/astng/test \
475 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/data \
476 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/data/SSL1 \
477 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/data/appl \
478 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/data2 \
479 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/regrttest_data \
480 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/regrttest_data/pack
481 /usr/lib/python2.6/vendor-packages/Logilab/astng/test/regrttest_data/pack
482 /usr/lib/python2.6/vendor-packages/Logilab/astng-0.19.0-py2.6.egg-info \
483 /usr/lib/python2.6/vendor-packages/pylint \
484 /usr/lib/python2.6/vendor-packages/pylint/pyreverse \
485 /usr/lib/python2.6/vendor-packages/pylint/reporters \
486 /usr/lib/python2.6/vendor-packages/pylint/checkers \
487 /usr/lib/python2.6/vendor-packages/pylint-0.18.0-py2.6.egg-info \
488 /usr/lib/quilt \
489 /usr/lib/sane \
490 /usr/lib/security \
491 /usr/lib/slib \
492 /usr/lib/smartcard \
493 /usr/lib/svn \
494 /usr/lib/tcl8.4 \
495 /usr/lib/tcl8.4/encoding \
496 /usr/lib/tcl8.4/expect5.43 \
497 /usr/lib/tcl8.4/http1.0 \
498 /usr/lib/tcl8.4/http2.5 \
499 /usr/lib/tcl8.4/msgcat1.3 \
500 /usr/lib/tcl8.4/opt0.4 \
501 /usr/lib/tcl8.4/snack2.2.10 \
502 /usr/lib/tcl8.4/tcltest2.2 \
503 /usr/lib/tcl8.4/tls1.6 \
504 /usr/lib/tk8.4 \
505 /usr/lib/tk8.4/demos \
506 /usr/lib/tk8.4/demos/images \
507 /usr/lib/tk8.4/images \
508 /usr/lib/tk8.4/messages \
509 /usr/lib/wx \
510 /usr/lib/wx/config \
511 /usr/lib/wx/include \
512 /usr/lib/wx/include/gtk2-unicode-release-2.8 \
513 /usr/lib/wx/include/gtk2-unicode-release-2.8/wx \
514 /usr/lib/libusb_plugins/$(MACH64) \
515 /usr/lib/$(MACH64)/openusb_backend \
516 /usr/lib/zsh \
517 /usr/lighttpd \
518 /usr/lighttpd/1.4 \
519 /usr/lighttpd/1.4/bin \
520 /usr/lighttpd/1.4/lib \
521 /usr/lighttpd/1.4/man \
522 /usr/lighttpd/1.4/man/man1 \

```

```

523 /usr/lighttpd/1.4/sbin \
524 /usr/mysql \
525 /usr/mysql/5.0 \
526 /usr/mysql/5.0/include \
527 /usr/mysql/5.0/include/mysql \
528 /usr/mysql/5.0/include/mysql/ndb \
529 /usr/mysql/5.0/include/mysql/ndb/mgmapi \
530 /usr/mysql/5.0/include/mysql/ndb/ndbapi \
531 /usr/mysql/5.0/docs \
532 /usr/mysql/5.0/bin \
533 /usr/mysql/5.0/share \
534 /usr/mysql/5.0/share/mysql \
535 /usr/mysql/5.0/share/mysql/czech \
536 /usr/mysql/5.0/share/mysql/danish \
537 /usr/mysql/5.0/share/mysql/dutch \
538 /usr/mysql/5.0/share/mysql/english \
539 /usr/mysql/5.0/share/mysql/estonian \
540 /usr/mysql/5.0/share/mysql/french \
541 /usr/mysql/5.0/share/mysql/german \
542 /usr/mysql/5.0/share/mysql/greek \
543 /usr/mysql/5.0/share/mysql/hungarian \
544 /usr/mysql/5.0/share/mysql/italian \
545 /usr/mysql/5.0/share/mysql/japanese \
546 /usr/mysql/5.0/share/mysql/korean \
547 /usr/mysql/5.0/share/mysql/norwegian \
548 /usr/mysql/5.0/share/mysql/norwegian-ny \
549 /usr/mysql/5.0/share/mysql/polish \
550 /usr/mysql/5.0/share/mysql/portuguese \
551 /usr/mysql/5.0/share/mysql/romanian \
552 /usr/mysql/5.0/share/mysql/russian \
553 /usr/mysql/5.0/share/mysql/serbian \
554 /usr/mysql/5.0/share/mysql/slovak \
555 /usr/mysql/5.0/share/mysql/spanish \
556 /usr/mysql/5.0/share/mysql/swedish \
557 /usr/mysql/5.0/share/mysql/ukrainian \
558 /usr/mysql/5.0/share/mysql/charsets \
559 /usr/mysql/5.0/lib \
560 /usr/mysql/5.0/lib/mysql \
561 /usr/mysql/5.0/man \
562 /usr/mysql/5.0/man/man1 \
563 /usr/mysql/5.0/man/man8 \
564 /usr/mysql/5.0/sql-bench \
565 /usr/mysql/5.0/sql-bench/Data \
566 /usr/mysql/5.0/sql-bench/Data/ATIS \
567 /usr/mysql/5.0/sql-bench/Data/Wisconsin \
568 /usr/mysql/5.0/sql-bench/limits \
569 /usr/mysql/5.0/sql-bench/Comments \
570 /usr/mysql/5.0/mysql-test \
571 /usr/mysql/5.0/mysql-test/ndb \
572 /usr/mysql/5.0/mysql-test/t \
573 /usr/mysql/5.0/mysql-test/r \
574 /usr/mysql/5.0/mysql-test/include \
575 /usr/mysql/5.0/mysql-test/std_data \
576 /usr/mysql/5.0/mysql-test/lib \
577 /usr/mysql/5.0/mysql-test/suite \
578 /usr/mysql/5.0/mysql-test/suite/row_lock \
579 /usr/mysql/5.0/mysql-test/suite/row_lock/r \
580 /usr/mysql/5.0/mysql-test/suite/row_lock/include \
581 /usr/mysql/5.0/mysql-test/suite/row_lock/t \
582 /usr/mysql/5.0/mysql-test/suite/funcs_1 \
583 /usr/mysql/5.0/mysql-test/suite/funcs_1/r \
584 /usr/mysql/5.0/mysql-test/suite/funcs_1/triggers \
585 /usr/mysql/5.0/mysql-test/suite/funcs_1/t \
586 /usr/mysql/5.0/mysql-test/suite/funcs_1/storedproc \
587 /usr/mysql/5.0/mysql-test/suite/funcs_1/data \
588 /usr/mysql/5.0/mysql-test/suite/funcs_1/include \

```

```

589 /usr/mysql/5.0/mysql-test/suite/funcs_1/datadict \
590 /usr/mysql/5.0/mysql-test/suite/funcs_1/views \
591 /usr/mysql/5.0/mysql-test/suite/funcs_1/lib \
592 /usr/mysql/5.0/mysql-test/suite/funcs_1/cursors \
593 /usr/mysql/5.0/mysql-test/suite/funcs_1/bitdata \
594 /usr/mysql/5.0/mysql-test/suite/funcs_2 \
595 /usr/mysql/5.0/mysql-test/suite/funcs_2/include \
596 /usr/mysql/5.0/mysql-test/suite/funcs_2/t \
597 /usr/mysql/5.0/mysql-test/suite/funcs_2/charset \
598 /usr/mysql/5.0/mysql-test/suite/funcs_2/r \
599 /usr/mysql/5.0/mysql-test/suite/funcs_2/data \
600 /usr/mysql/5.0/mysql-test/suite/funcs_2/lib \
601 /usr/mysql/5.1 \
602 /usr/mysql/5.1/include \
603 /usr/mysql/5.1/include/mysql \
604 /usr/mysql/5.1/include/mysql/storage \
605 /usr/mysql/5.1/include/mysql/storage/ndb \
606 /usr/mysql/5.1/include/mysql/storage/ndb/mgmapi \
607 /usr/mysql/5.1/include/mysql/storage/ndb/ndbapi \
608 /usr/mysql/5.1/docs \
609 /usr/mysql/5.1/bin \
610 /usr/mysql/5.1/share \
611 /usr/mysql/5.1/share/mysql \
612 /usr/mysql/5.1/share/mysql/czech \
613 /usr/mysql/5.1/share/mysql/danish \
614 /usr/mysql/5.1/share/mysql/dutch \
615 /usr/mysql/5.1/share/mysql/english \
616 /usr/mysql/5.1/share/mysql/estonian \
617 /usr/mysql/5.1/share/mysql/french \
618 /usr/mysql/5.1/share/mysql/german \
619 /usr/mysql/5.1/share/mysql/greek \
620 /usr/mysql/5.1/share/mysql/hungarian \
621 /usr/mysql/5.1/share/mysql/italian \
622 /usr/mysql/5.1/share/mysql/japanese \
623 /usr/mysql/5.1/share/mysql/korean \
624 /usr/mysql/5.1/share/mysql/norwegian \
625 /usr/mysql/5.1/share/mysql/norwegian-ny \
626 /usr/mysql/5.1/share/mysql/polish \
627 /usr/mysql/5.1/share/mysql/portuguese \
628 /usr/mysql/5.1/share/mysql/romanian \
629 /usr/mysql/5.1/share/mysql/russian \
630 /usr/mysql/5.1/share/mysql/serbian \
631 /usr/mysql/5.1/share/mysql/slovak \
632 /usr/mysql/5.1/share/mysql/spanish \
633 /usr/mysql/5.1/share/mysql/swedish \
634 /usr/mysql/5.1/share/mysql/ukrainian \
635 /usr/mysql/5.1/share/mysql/charsets \
636 /usr/mysql/5.1/share/aclocal \
637 /usr/mysql/5.1/lib \
638 /usr/mysql/5.1/lib/mysql \
639 /usr/mysql/5.1/man \
640 /usr/mysql/5.1/man/man1 \
641 /usr/mysql/5.1/man/man8 \
642 /usr/mysql/5.1/sql-bench \
643 /usr/mysql/5.1/sql-bench/Data \
644 /usr/mysql/5.1/sql-bench/Data/ATIS \
645 /usr/mysql/5.1/sql-bench/Data/Wisconsin \
646 /usr/mysql/5.1/sql-bench/limits \
647 /usr/mysql/5.1/sql-bench/Comments \
648 /usr/mysql/5.1/mysql-test \
649 /usr/mysql/5.1/mysql-test/extra \
650 /usr/mysql/5.1/mysql-test/extra/binlog_tests \
651 /usr/mysql/5.1/mysql-test/extra/rpl_tests \
652 /usr/mysql/5.1/mysql-test/include \
653 /usr/mysql/5.1/mysql-test/ndb \
654 /usr/mysql/5.1/mysql-test/lib \

```

```

655 /usr/mysql/5.1/mysql-test/r \
656 /usr/mysql/5.1/mysql-test/std_data \
657 /usr/mysql/5.1/mysql-test/suite \
658 /usr/mysql/5.1/mysql-test/suite/row_lock \
659 /usr/mysql/5.1/mysql-test/suite/row_lock/r \
660 /usr/mysql/5.1/mysql-test/suite/row_lock/include \
661 /usr/mysql/5.1/mysql-test/suite/row_lock/t \
662 /usr/mysql/5.1/mysql-test/suite/funcs_1 \
663 /usr/mysql/5.1/mysql-test/suite/funcs_1/r \
664 /usr/mysql/5.1/mysql-test/suite/funcs_1/triggers \
665 /usr/mysql/5.1/mysql-test/suite/funcs_1/t \
666 /usr/mysql/5.1/mysql-test/suite/funcs_1/storedproc \
667 /usr/mysql/5.1/mysql-test/suite/funcs_1/data \
668 /usr/mysql/5.1/mysql-test/suite/funcs_1/include \
669 /usr/mysql/5.1/mysql-test/suite/funcs_1/datadict \
670 /usr/mysql/5.1/mysql-test/suite/funcs_1/views \
671 /usr/mysql/5.1/mysql-test/suite/funcs_1/lib \
672 /usr/mysql/5.1/mysql-test/suite/funcs_1/cursors \
673 /usr/mysql/5.1/mysql-test/suite/funcs_1/bitdata \
674 /usr/mysql/5.1/mysql-test/suite/funcs_2 \
675 /usr/mysql/5.1/mysql-test/suite/funcs_2/include \
676 /usr/mysql/5.1/mysql-test/suite/funcs_2/t \
677 /usr/mysql/5.1/mysql-test/suite/funcs_2/charset \
678 /usr/mysql/5.1/mysql-test/suite/funcs_2/r \
679 /usr/mysql/5.1/mysql-test/suite/funcs_2/data \
680 /usr/mysql/5.1/mysql-test/suite/funcs_2/lib \
681 /usr/mysql/5.1/mysql-test/t \
682 /usr/mysql/connectors \
683 /usr/mysql/connectors/jdbc \
684 /usr/mysql/connectors/jdbc/5.1 \
685 /usr/mysql/connectors/jdbc/5.1/docs \
686 /usr/ruby \
687 /usr/ruby/1.8 \
688 /usr/ruby/1.8/bin \
689 /usr/ruby/1.8/lib \
690 /usr/ruby/1.8/lib/ruby \
691 /usr/ruby/1.8/lib/ruby/1.8 \
692 /usr/ruby/1.8/lib/ruby/1.8/$(MACH)-solaris$(SOL_REV) \
693 /usr/ruby/1.8/lib/ruby/1.8/$(MACH)-solaris$(SOL_REV)/digest \
694 /usr/ruby/1.8/lib/ruby/1.8/$(MACH)-solaris$(SOL_REV)/io \
695 /usr/ruby/1.8/lib/ruby/1.8/$(MACH)-solaris$(SOL_REV)/racc \
696 /usr/ruby/1.8/lib/ruby/1.8/cgi \
697 /usr/ruby/1.8/lib/ruby/1.8/cgi/session \
698 /usr/ruby/1.8/lib/ruby/1.8/drbc \
699 /usr/ruby/1.8/lib/ruby/1.8/irb \
700 /usr/ruby/1.8/lib/ruby/1.8/irb/lc \
701 /usr/ruby/1.8/lib/ruby/1.8/irb/lc/ja \
702 /usr/ruby/1.8/lib/ruby/1.8/irb/cmd \
703 /usr/ruby/1.8/lib/ruby/1.8/irb/ext \
704 /usr/ruby/1.8/lib/ruby/1.8/net \
705 /usr/ruby/1.8/lib/ruby/1.8/rss \
706 /usr/ruby/1.8/lib/ruby/1.8/rss/maker \
707 /usr/ruby/1.8/lib/ruby/1.8/uri \
708 /usr/ruby/1.8/lib/ruby/1.8/xsd \
709 /usr/ruby/1.8/lib/ruby/1.8/xsd/codegen \
710 /usr/ruby/1.8/lib/ruby/1.8/xsd/xmlparser \
711 /usr/ruby/1.8/lib/ruby/1.8/date \
712 /usr/ruby/1.8/lib/ruby/1.8/racc \
713 /usr/ruby/1.8/lib/ruby/1.8/rdoc \
714 /usr/ruby/1.8/lib/ruby/1.8/rdoc/ri \
715 /usr/ruby/1.8/lib/ruby/1.8/rdoc/dot \
716 /usr/ruby/1.8/lib/ruby/1.8/rdoc/markup \
717 /usr/ruby/1.8/lib/ruby/1.8/rdoc/markup/test \
718 /usr/ruby/1.8/lib/ruby/1.8/rdoc/markup/sample \
719 /usr/ruby/1.8/lib/ruby/1.8/rdoc/markup/simple_markup \
720 /usr/ruby/1.8/lib/ruby/1.8/rdoc/generators \

```

```

721 /usr/ruby/1.8/lib/ruby/1.8/rdoc/generators/template \
722 /usr/ruby/1.8/lib/ruby/1.8/rdoc/generators/template/chm \
723 /usr/ruby/1.8/lib/ruby/1.8/rdoc/generators/template/xml \
724 /usr/ruby/1.8/lib/ruby/1.8/rdoc/generators/template/html \
725 /usr/ruby/1.8/lib/ruby/1.8/rdoc/parsers \
726 /usr/ruby/1.8/lib/ruby/1.8/soap \
727 /usr/ruby/1.8/lib/ruby/1.8/soap/rpc \
728 /usr/ruby/1.8/lib/ruby/1.8/soap/encodingstyle \
729 /usr/ruby/1.8/lib/ruby/1.8/soap/mapping \
730 /usr/ruby/1.8/lib/ruby/1.8/soap/header \
731 /usr/ruby/1.8/lib/ruby/1.8/test \
732 /usr/ruby/1.8/lib/ruby/1.8/test/unit \
733 /usr/ruby/1.8/lib/ruby/1.8/test/unit/ui \
734 /usr/ruby/1.8/lib/ruby/1.8/test/unit/ui/tk \
735 /usr/ruby/1.8/lib/ruby/1.8/test/unit/ui/fox \
736 /usr/ruby/1.8/lib/ruby/1.8/test/unit/ui/gtk \
737 /usr/ruby/1.8/lib/ruby/1.8/test/unit/ui/gtk2 \
738 /usr/ruby/1.8/lib/ruby/1.8/test/unit/ui/console \
739 /usr/ruby/1.8/lib/ruby/1.8/test/unit/collector \
740 /usr/ruby/1.8/lib/ruby/1.8/test/unit/util \
741 /usr/ruby/1.8/lib/ruby/1.8/wsdll \
742 /usr/ruby/1.8/lib/ruby/1.8/wsdll/soap \
743 /usr/ruby/1.8/lib/ruby/1.8/wsdll/xmlSchema \
744 /usr/ruby/1.8/lib/ruby/1.8/yaml \
745 /usr/ruby/1.8/lib/ruby/1.8/rexml \
746 /usr/ruby/1.8/lib/ruby/1.8/rexml/dtd \
747 /usr/ruby/1.8/lib/ruby/1.8/rexml/light \
748 /usr/ruby/1.8/lib/ruby/1.8/rexml/encodings \
749 /usr/ruby/1.8/lib/ruby/1.8/rexml/validation \
750 /usr/ruby/1.8/lib/ruby/1.8/rexml/formatters \
751 /usr/ruby/1.8/lib/ruby/1.8/rexml/parsers \
752 /usr/ruby/1.8/lib/ruby/1.8/rinda \
753 /usr/ruby/1.8/lib/ruby/1.8/shell \
754 /usr/ruby/1.8/lib/ruby/1.8/runit \
755 /usr/ruby/1.8/lib/ruby/1.8/runit/cui \
756 /usr/ruby/1.8/lib/ruby/1.8/xmlrpc \
757 /usr/ruby/1.8/lib/ruby/1.8/webrick \
758 /usr/ruby/1.8/lib/ruby/1.8/webrick/httpauth \
759 /usr/ruby/1.8/lib/ruby/1.8/webrick/httppervlet \
760 /usr/ruby/1.8/lib/ruby/1.8/optparse \
761 /usr/ruby/1.8/lib/ruby/1.8/bigdecimal \
762 /usr/ruby/1.8/lib/ruby/1.8/digest \
763 /usr/ruby/1.8/lib/ruby/1.8/dl \
764 /usr/ruby/1.8/lib/ruby/1.8/io \
765 /usr/ruby/1.8/lib/ruby/1.8/openssl \
766 /usr/ruby/1.8/lib/ruby/1.8/tk \
767 /usr/ruby/1.8/lib/ruby/1.8/tkextlib \
768 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/vu \
769 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/blt \
770 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/blt/tile \
771 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/itk \
772 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/itcl \
773 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tclx \
774 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tile \
775 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/treectrl \
776 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/ICONS \
777 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tkDND \
778 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tkimg \
779 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/trofs \
780 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/iwidgets \
781 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tktable \
782 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tktrans \
783 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tcllib \
784 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/tkHTML \
785 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/winico \
786 /usr/ruby/1.8/lib/ruby/gems \

```

```

787 /usr/ruby/1.8/lib/ruby/gems/1.8 \
788 /usr/ruby/1.8/lib/ruby/gems/1.8/cache \
789 /usr/ruby/1.8/lib/ruby/gems/1.8/doc \
790 /usr/ruby/1.8/lib/ruby/gems/1.8/gems \
791 /usr/ruby/1.8/lib/ruby/gems/1.8/specifications \
792 /usr/ruby/1.8/lib/ruby/1.8/tkextlib/bwidget \
793 /usr/ruby/1.8/lib/ruby/site_ruby \
794 /usr/ruby/1.8/lib/ruby/site_ruby/1.8 \
795 /usr/ruby/1.8/lib/ruby/site_ruby/1.8/$(MACH)-solaris$(SOL_REV) \
796 /usr/ruby/1.8/lib/ruby/site_ruby/1.8/rbconfig \
797 /usr/ruby/1.8/lib/ruby/site_ruby/1.8/rubygems \
798 /usr/ruby/1.8/lib/ruby/site_ruby/1.8/rubygems/commands \
799 /usr/ruby/1.8/lib/ruby/site_ruby/1.8/rubygems/digest \
800 /usr/ruby/1.8/share \
801 /usr/ruby/1.8/share/man \
802 /usr/ruby/1.8/share/man/man1 \
803 /usr/sbin \
804 /usr/sbin/$(MACH64) \
805 /usr/sfw \
806 /usr/sfw/sbin \
807 /usr/sfw/swat \
808 /usr/sfw/bin \
809 /usr/sfw/include \
810 /usr/sfw/lib \
811 /usr/sfw/lib/locale/az \
812 /usr/sfw/lib/locale/az/LC_MESSAGES \
813 /usr/sfw/lib/locale/bg \
814 /usr/sfw/lib/locale/bg/LC_MESSAGES \
815 /usr/sfw/lib/locale/ca \
816 /usr/sfw/lib/locale/ca/LC_MESSAGES \
817 /usr/sfw/lib/locale/cs \
818 /usr/sfw/lib/locale/cs/LC_MESSAGES \
819 /usr/sfw/lib/locale/da \
820 /usr/sfw/lib/locale/da/LC_MESSAGES \
821 /usr/sfw/lib/locale/de \
822 /usr/sfw/lib/locale/de/LC_MESSAGES \
823 /usr/sfw/lib/locale/de_AT \
824 /usr/sfw/lib/locale/de_AT/LC_MESSAGES \
825 /usr/sfw/lib/locale/en_GB \
826 /usr/sfw/lib/locale/en_GB/LC_MESSAGES \
827 /usr/sfw/lib/locale/el \
828 /usr/sfw/lib/locale/el/LC_MESSAGES \
829 /usr/sfw/lib/locale/eo \
830 /usr/sfw/lib/locale/eo/LC_MESSAGES \
831 /usr/sfw/lib/locale/es \
832 /usr/sfw/lib/locale/es/LC_MESSAGES \
833 /usr/sfw/lib/locale/et \
834 /usr/sfw/lib/locale/et/LC_MESSAGES \
835 /usr/sfw/lib/locale/eu \
836 /usr/sfw/lib/locale/eu/LC_MESSAGES \
837 /usr/sfw/lib/locale/fi \
838 /usr/sfw/lib/locale/fi/LC_MESSAGES \
839 /usr/sfw/lib/locale/fr \
840 /usr/sfw/lib/locale/fr/LC_MESSAGES \
841 /usr/sfw/lib/locale/ga \
842 /usr/sfw/lib/locale/ga/LC_MESSAGES \
843 /usr/sfw/lib/locale/gl \
844 /usr/sfw/lib/locale/gl/LC_MESSAGES \
845 /usr/sfw/lib/locale/he \
846 /usr/sfw/lib/locale/he/LC_MESSAGES \
847 /usr/sfw/lib/locale/hr \
848 /usr/sfw/lib/locale/hr/LC_MESSAGES \
849 /usr/sfw/lib/locale/hu \
850 /usr/sfw/lib/locale/hu/LC_MESSAGES \
851 /usr/sfw/lib/locale/id \
852 /usr/sfw/lib/locale/id/LC_MESSAGES \

```

```

853 /usr/sfw/lib/locale/it \
854 /usr/sfw/lib/locale/it/LC_MESSAGES \
855 /usr/sfw/lib/locale/ja \
856 /usr/sfw/lib/locale/ja/LC_MESSAGES \
857 /usr/sfw/lib/locale/ko \
858 /usr/sfw/lib/locale/ko/LC_MESSAGES \
859 /usr/sfw/lib/locale/lt \
860 /usr/sfw/lib/locale/lt/LC_MESSAGES \
861 /usr/sfw/lib/locale/ms \
862 /usr/sfw/lib/locale/ms/LC_MESSAGES \
863 /usr/sfw/lib/locale/nb \
864 /usr/sfw/lib/locale/nb/LC_MESSAGES \
865 /usr/sfw/lib/locale/nl \
866 /usr/sfw/lib/locale/nl/LC_MESSAGES \
867 /usr/sfw/lib/locale/nn \
868 /usr/sfw/lib/locale/nn/LC_MESSAGES \
869 /usr/sfw/lib/locale/no \
870 /usr/sfw/lib/locale/no/LC_MESSAGES \
871 /usr/sfw/lib/locale/pl \
872 /usr/sfw/lib/locale/pl/LC_MESSAGES \
873 /usr/sfw/lib/locale/pt \
874 /usr/sfw/lib/locale/pt/LC_MESSAGES \
875 /usr/sfw/lib/locale/pt_BR \
876 /usr/sfw/lib/locale/pt_BR/LC_MESSAGES \
877 /usr/sfw/lib/locale/ro \
878 /usr/sfw/lib/locale/ro/LC_MESSAGES \
879 /usr/sfw/lib/locale/ru \
880 /usr/sfw/lib/locale/ru/LC_MESSAGES \
881 /usr/sfw/lib/locale/sk \
882 /usr/sfw/lib/locale/sk/LC_MESSAGES \
883 /usr/sfw/lib/locale/sl \
884 /usr/sfw/lib/locale/sl/LC_MESSAGES \
885 /usr/sfw/lib/locale/sp \
886 /usr/sfw/lib/locale/sp/LC_MESSAGES \
887 /usr/sfw/lib/locale/sr \
888 /usr/sfw/lib/locale/sr/LC_MESSAGES \
889 /usr/sfw/lib/locale/sv \
890 /usr/sfw/lib/locale/sv/LC_MESSAGES \
891 /usr/sfw/lib/locale/tr \
892 /usr/sfw/lib/locale/tr/LC_MESSAGES \
893 /usr/sfw/lib/locale/uk \
894 /usr/sfw/lib/locale/uk/LC_MESSAGES \
895 /usr/sfw/lib/locale/vi \
896 /usr/sfw/lib/locale/vi/LC_MESSAGES \
897 /usr/sfw/lib/locale/wa \
898 /usr/sfw/lib/locale/wa/LC_MESSAGES \
899 /usr/sfw/lib/locale/zh_CN \
900 /usr/sfw/lib/locale/zh_CN/LC_MESSAGES \
901 /usr/sfw/lib/locale/zh_TW \
902 /usr/sfw/lib/locale/zh_TW/LC_MESSAGES \
903 /usr/sfw/lib/locale/zh_CN.GB2312 \
904 /usr/sfw/lib/locale/zh_CN.GB2312/LC_MESSAGES \
905 /usr/sfw/lib/locale/zh_TW.Big5 \
906 /usr/sfw/lib/locale/zh_TW.Big5/LC_MESSAGES \
907 /usr/sfw/lib/webmin \
908 /usr/sfw/libexec \
909 /usr/sfw/share \
910 /usr/sfw/share/aclocal \
911 /usr/sfw/share/doc \
912 /usr/sfw/share/info \
913 /usr/sfw/share/man \
914 /usr/sfw/share/man/mann \
915 /usr/sfw/share/man/man1 \
916 /usr/sfw/share/man/man1m \
917 /usr/sfw/share/man/man3 \
918 /usr/sfw/share/man/man4 \

```

```

919 /usr/sfw/share/man/man5 \
920 /usr/sfw/share/man/man7 \
921 /usr/sfw/share/man/man8 \
922 /usr/sfw/share/src \
923 /usr/share/aclocal-1.9 \
924 /usr/share/antlr-2.7.7 \
925 /usr/share/areca \
926 /usr/share/areca/bin \
927 /usr/share/areca/lib \
928 /usr/share/areca/config \
929 /usr/share/areca/icons \
930 /usr/share/areca/icons/big \
931 /usr/share/areca/translations \
932 /usr/share/areca/license \
933 /usr/share/autoconf \
934 /usr/share/autoconf/autoconf \
935 /usr/share/autoconf/autoscan \
936 /usr/share/autoconf/autotest \
937 /usr/share/autoconf/m4sugar \
938 /usr/share/autoconf/Autom4te \
939 /usr/share/autogen \
940 /usr/share/automake-1.9 \
941 /usr/share/automake-1.9/am \
942 /usr/share/automake-1.9/Automake \
943 /usr/share/aclocal-1.10 \
944 /usr/share/automake-1.10 \
945 /usr/share/automake-1.10/am \
946 /usr/share/automake-1.10/Automake \
947 /usr/share/applications \
948 /usr/share/awk \
949 /usr/share/awstats \
950 /usr/share/awstats/cgi-bin \
951 /usr/share/awstats/cgi-bin/lang \
952 /usr/share/awstats/cgi-bin/lang/tooltips_f \
953 /usr/share/awstats/cgi-bin/lang/tooltips_m \
954 /usr/share/awstats/cgi-bin/lang/tooltips_w \
955 /usr/share/awstats/cgi-bin/lib \
956 /usr/share/awstats/cgi-bin/plugins \
957 /usr/share/awstats/cgi-bin/plugins/example \
958 /usr/share/awstats/classes \
959 /usr/share/awstats/classes/src \
960 /usr/share/awstats/css \
961 /usr/share/awstats/icon \
962 /usr/share/awstats/icon/browser \
963 /usr/share/awstats/icon/clock \
964 /usr/share/awstats/icon/cpu \
965 /usr/share/awstats/icon/flags \
966 /usr/share/awstats/icon/mime \
967 /usr/share/awstats/icon/os \
968 /usr/share/awstats/icon/other \
969 /usr/share/awstats/js \
970 /usr/share/bison \
971 /usr/share/bison/m4sugar \
972 /usr/share/bvi \
973 /usr/share/bwm-ng \
974 /usr/share/cmake-2.6 \
975 /usr/share/cmake-2.6/Modules \
976 /usr/share/cmake-2.6/Modules/Platform \
977 /usr/share/cmake-2.6/Templates \
978 /usr/share/cmake-2.6/doc \
979 /usr/share/cmake-2.6/include \
980 /usr/share/doc/aalib \
981 /usr/share/doc/ant \
982 /usr/share/doc/antlr-2.7.7 \
983 /usr/share/doc/antlr \
984 /usr/share/doc/asm \

```

```

985 /usr/share/doc/automake \
986 /usr/share/doc/awstats \
987 /usr/share/doc/awstats/images \
988 /usr/share/doc/beanshell \
989 /usr/share/doc/confuse \
990 /usr/share/doc/confuse/doc \
991 /usr/share/doc/confuse/doc/html \
992 /usr/share/doc/confuse/doc/tutorial-html \
993 /usr/share/doc/confuse/examples \
994 /usr/share/doc/confuse/examples/.deps \
995 /usr/share/doc/confuse/examples/.libs \
996 /usr/share/doc/cglib \
997 /usr/share/doc/clisp \
998 /usr/share/doc/clisp/doc \
999 /usr/share/doc/commons-collections \
1000 /usr/share/doc/curl \
1001 /usr/share/doc/curl/html \
1002 /usr/share/doc/dom4j \
1003 /usr/share/doc/doxygen-1.5.7.1 \
1004 /usr/share/doc/drools \
1005 /usr/share/doc/elinks \
1006 /usr/share/doc/erlang \
1007 /usr/share/doc/epydoc \
1008 /usr/share/doc/epydoc/api \
1009 /usr/share/doc/epydoc/doctest \
1010 /usr/share/doc/epydoc/examples \
1011 /usr/share/doc/epydoc/examples/grouped \
1012 /usr/share/doc/epydoc/examples/included \
1013 /usr/share/doc/epydoc/examples/listed \
1014 /usr/share/doc/fastcgi \
1015 /usr/share/doc/fastcgi/fastcgi-prog-guide \
1016 /usr/share/doc/fastcgi/fastcgi-whitepaper \
1017 /usr/share/doc/fftw \
1018 /usr/share/doc/fftw/html \
1019 /usr/share/doc/fftw3 \
1020 /usr/share/doc/fftw3/html \
1021 /usr/share/doc/gd2 \
1022 /usr/share/doc/gd2/html \
1023 /usr/share/doc/gmp \
1024 /usr/share/doc/gmp/html \
1025 /usr/share/doc/gperf \
1026 /usr/share/doc/idn \
1027 /usr/share/doc/idn/html \
1028 /usr/share/doc/idn/java \
1029 /usr/share/doc/idn/java/gnu \
1030 /usr/share/doc/idn/java/gnu/inet \
1031 /usr/share/doc/idn/java/gnu/inet/encoding \
1032 /usr/share/doc/idn/java/resources \
1033 /usr/share/doc/idn/tld \
1034 /usr/share/doc/idn/tld/templates \
1035 /usr/share/doc/iozone \
1036 /usr/share/doc/jdom \
1037 /usr/share/doc/janino \
1038 /usr/share/doc/jarjar \
1039 /usr/share/doc/jaxen-core \
1040 /usr/share/doc/jettison \
1041 /usr/share/doc/jexcelapi \
1042 /usr/share/doc/jdt-core \
1043 /usr/share/doc/joda-time \
1044 /usr/share/doc/lcms \
1045 /usr/share/doc/lcms/html \
1046 /usr/share/doc/libcurl \
1047 /usr/share/doc/libcurl/html \
1048 /usr/share/doc/libmng \
1049 /usr/share/doc/libmng/html \
1050 /usr/share/doc/librsync-0.9.7 \

```

```

1051 /usr/share/doc/librsync-0.9.7/html \
1052 /usr/share/doc/lua \
1053 /usr/share/doc/libsndfile \
1054 /usr/share/doc/libsndfile/html \
1055 /usr/share/doc/libxmlrpc-c3-dev \
1056 /usr/share/doc/libxmlrpc-c3-dev/examples \
1057 /usr/share/doc/libxmlrpc-c3-dev/examples/conf \
1058 /usr/share/doc/libxmlrpc-c3-dev/examples/conf/abyss_root \
1059 /usr/share/doc/libxmlrpc-c3-dev/examples/conf/abyss_root/conf \
1060 /usr/share/doc/libxmlrpc-c3-dev/examples/conf/abyss_root/htdocs \
1061 /usr/share/doc/log4j \
1062 /usr/share/doc/mpfr \
1063 /usr/share/doc/mpfr/html \
1064 /usr/share/doc/mvel \
1065 /usr/share/doc/neon-0.25.5/html \
1066 /usr/share/doc/ntp \
1067 /usr/share/doc/ntp/description_files \
1068 /usr/share/doc/ntp/drivers \
1069 /usr/share/doc/ntp/drivers/scripts \
1070 /usr/share/doc/ntp/drivers/icons \
1071 /usr/share/doc/ntp/hints \
1072 /usr/share/doc/ntp/icons \
1073 /usr/share/doc/ntp/pic \
1074 /usr/share/doc/ntp/scripts \
1075 /usr/share/doc/openexr-1.6.1 \
1076 /usr/share/doc/openexr-1.6.1/examples \
1077 /usr/share/doc/usbutils \
1078 /usr/share/doc/openldap \
1079 /usr/share/doc/openldap/admin24 \
1080 /usr/share/doc/openldap/images \
1081 /usr/share/doc/pam_pkcs11 \
1082 /usr/share/doc/pcre \
1083 /usr/share/doc/pcre/html \
1084 /usr/share/doc/pen \
1085 /usr/share/doc/privoxy \
1086 /usr/share/doc/privoxy/developer-manual \
1087 /usr/share/doc/privoxy/faq \
1088 /usr/share/doc/privoxy/user-manual \
1089 /usr/share/doc/pullparser \
1090 /usr/share/doc/pyOpenSSL \
1091 /usr/share/doc/quilt-0.47 \
1092 /usr/share/doc/rdiff-backup-1.2.1 \
1093 /usr/share/doc/relaxngDatatype \
1094 /usr/share/doc/saa-j \
1095 /usr/share/doc/snack-2.2.10 \
1096 /usr/share/doc/snack-2.2.10/examples \
1097 /usr/share/doc/snack-2.2.10/examples/tcl \
1098 /usr/share/doc/snack-2.2.10/html \
1099 /usr/share/doc/stringtemplate \
1100 /usr/share/doc/tidy \
1101 /usr/share/doc/tidy/html \
1102 /usr/share/doc/tls-1.6 \
1103 /usr/share/doc/tls-1.6/html \
1104 /usr/share/doc/xom \
1105 /usr/share/doc/xpp3-min \
1106 /usr/share/doc/xsdlib \
1107 /usr/share/doc/xstream \
1108 /usr/share/doc/yaz \
1109 /usr/share/doc/yaz/common \
1110 /usr/share/emacs \
1111 /usr/share/emacs/22.1 \
1112 /usr/share/emacs/22.1/etc \
1113 /usr/share/emacs/22.1/etc/e \
1114 /usr/share/emacs/22.1/etc/images \
1115 /usr/share/emacs/22.1/etc/images/ezimage \
1116 /usr/share/emacs/22.1/etc/images/gnus \

```

```

1117 /usr/share/emacs/22.1/etc/images/gud \
1118 /usr/share/emacs/22.1/etc/images/icons \
1119 /usr/share/emacs/22.1/etc/images/low-color \
1120 /usr/share/emacs/22.1/etc/images/mail \
1121 /usr/share/emacs/22.1/etc/images/smilies \
1122 /usr/share/emacs/22.1/etc/tree-widget \
1123 /usr/share/emacs/22.1/etc/tree-widget/default \
1124 /usr/share/emacs/22.1/etc/tree-widget/folder \
1125 /usr/share/emacs/22.1/leim \
1126 /usr/share/emacs/22.1/leim/ja-dic \
1127 /usr/share/emacs/22.1/leim/quail \
1128 /usr/share/emacs/22.1/lisp \
1129 /usr/share/emacs/22.1/lisp/calc \
1130 /usr/share/emacs/22.1/lisp/calendar \
1131 /usr/share/emacs/22.1/lisp/emacs-lisp \
1132 /usr/share/emacs/22.1/lisp/emulation \
1133 /usr/share/emacs/22.1/lisp/erc \
1134 /usr/share/emacs/22.1/lisp/eshell \
1135 /usr/share/emacs/22.1/lisp/gnus \
1136 /usr/share/emacs/22.1/lisp/international \
1137 /usr/share/emacs/22.1/lisp/language \
1138 /usr/share/emacs/22.1/lisp/mail \
1139 /usr/share/emacs/22.1/lisp/mh-e \
1140 /usr/share/emacs/22.1/lisp/net \
1141 /usr/share/emacs/22.1/lisp/obsolete \
1142 /usr/share/emacs/22.1/lisp/play \
1143 /usr/share/emacs/22.1/lisp/progmodes \
1144 /usr/share/emacs/22.1/lisp/term \
1145 /usr/share/emacs/22.1/lisp/textmodes \
1146 /usr/share/emacs/22.1/lisp/url \
1147 /usr/share/emacs/22.1/site-lisp \
1148 /usr/share/emacs/site-lisp \
1149 /usr/share/gimp-print \
1150 /usr/share/gimp-print/doc \
1151 /usr/share/gimp-print/doc/html \
1152 /usr/share/gimp-print/doc/html/figures \
1153 /usr/share/gimp-print/doc/html/stylesheets-images \
1154 /usr/share/gimp-print/doc/manual-html \
1155 /usr/share/gimp-print/samples \
1156 /usr/share/gnome \
1157 /usr/share/gnome/help \
1158 /usr/share/gnome/help/meld \
1159 /usr/share/gnome/help/meld/C \
1160 /usr/share/gnome/help/meld/es \
1161 /usr/share/gocr \
1162 /usr/share/gocr/doc \
1163 /usr/share/gocr/examples \
1164 /usr/share/guile/1.8 \
1165 /usr/share/guile/1.8/ooop \
1166 /usr/share/guile/1.8/ooop/goops \
1167 /usr/share/guile/1.8/ice-9 \
1168 /usr/share/guile/1.8/ice-9/debugger \
1169 /usr/share/guile/1.8/scripts \
1170 /usr/share/guile/1.8/srfi \
1171 /usr/share/guile/1.8/lang \
1172 /usr/share/guile/1.8/lang/elisp \
1173 /usr/share/guile/1.8/lang/elisp/internals \
1174 /usr/share/guile/1.8/lang/elisp/primitives \
1175 /usr/share/icons/hicolor \
1176 /usr/share/info \
1177 /usr/share/irc \
1178 /usr/share/irc/help \
1179 /usr/share/irc/script \
1180 /usr/share/jedit \
1181 /usr/share/lftp \
1182 /usr/share/lib \

```

```

1183 /usr/share/lib/ant \
1184 /usr/share/lib/idn \
1185 /usr/share/lib/java \
1186 /usr/share/lib/java/javadoc \
1187 /usr/share/lib/java/javadoc/beanshell \
1188 /usr/share/lib/java/javadoc/commons-collections \
1189 /usr/share/lib/java/javadoc/memcached-java \
1190 /usr/share/lib/java/javadoc/memcached-java/api \
1191 /usr/share/lib/java/javadoc/memcached-java/api/com \
1192 /usr/share/lib/java/javadoc/memcached-java/api/com/danga \
1193 /usr/share/lib/java/javadoc/memcached-java/api/com/danga/MemCached \
1194 /usr/share/lib/java/javadoc/memcached-java/api/com/danga/MemCached/class
1195 /usr/share/lib/java/javadoc/memcached-java/api/resources \
1196 /usr/share/lib/terminfo \
1197 /usr/share/lib/terminfo/s \
1198 /usr/share/libtool \
1199 /usr/share/libtool/libltdl \
1200 /usr/share/man \
1201 /usr/share/man/man1 \
1202 /usr/share/man/man1er1 \
1203 /usr/share/man/man1m \
1204 /usr/share/man/man1t \
1205 /usr/share/man/man1oldap \
1206 /usr/share/man/man3 \
1207 /usr/share/man/man3er1 \
1208 /usr/share/man/man3libmemcached \
1209 /usr/share/man/man3lib \
1210 /usr/share/man/man3oldap \
1211 /usr/share/man/man3smartcard \
1212 /usr/share/man/man3tcl \
1213 /usr/share/man/man3tk \
1214 /usr/share/man/man4 \
1215 /usr/share/man/man4er1 \
1216 /usr/share/man/man5 \
1217 /usr/share/man/man5oldap \
1218 /usr/share/man/man6 \
1219 /usr/share/man/man7 \
1220 /usr/share/man/man8 \
1221 /usr/share/meld \
1222 /usr/share/meld/glade2 \
1223 /usr/share/meld/glade2/pixmaps \
1224 /usr/share/man/man8oldap \
1225 /usr/share/nano \
1226 /usr/share/nmap \
1227 /usr/share/nmap/nselib \
1228 /usr/share/nmap/scripts \
1229 /usr/share/omf \
1230 /usr/share/omf/meld \
1231 /usr/share/octave \
1232 /usr/share/octave/site \
1233 /usr/share/octave/site/m \
1234 /usr/share/pixmaps \
1235 /usr/share/quilt \
1236 /usr/share/quilt/compat \
1237 /usr/share/quilt/scripts \
1238 /usr/share/screen \
1239 /usr/share/screen/utf8encodings \
1240 /usr/share/swig \
1241 /usr/share/swig/1.3.35 \
1242 /usr/share/swig/1.3.35/allegrocl \
1243 /usr/share/swig/1.3.35/cffi \
1244 /usr/share/swig/1.3.35/clisp \
1245 /usr/share/swig/1.3.35/csharp \
1246 /usr/share/swig/1.3.35/chicken \
1247 /usr/share/swig/1.3.35/doc \
1248 /usr/share/swig/1.3.35/doc/devel \

```

```

1249 /usr/share/swig/1.3.35/doc/manual \
1250 /usr/share/swig/1.3.35/gcj \
1251 /usr/share/swig/1.3.35/guile \
1252 /usr/share/swig/1.3.35/java \
1253 /usr/share/swig/1.3.35/lua \
1254 /usr/share/swig/1.3.35/modula3 \
1255 /usr/share/swig/1.3.35/mzscheme \
1256 /usr/share/swig/1.3.35/ocaml \
1257 /usr/share/swig/1.3.35/octave \
1258 /usr/share/swig/1.3.35/perl5 \
1259 /usr/share/swig/1.3.35/php4 \
1260 /usr/share/swig/1.3.35/pike \
1261 /usr/share/swig/1.3.35/python \
1262 /usr/share/swig/1.3.35/r \
1263 /usr/share/swig/1.3.35/ruby \
1264 /usr/share/swig/1.3.35/std \
1265 /usr/share/swig/1.3.35/tcl \
1266 /usr/share/swig/1.3.35/typemaps \
1267 /usr/share/swig/1.3.35/uffi \
1268 /usr/share/vim \
1269 /usr/share/vim/vimfiles \
1270 /usr/share/vim/vimfiles/after \
1271 /usr/share/vim/vimfiles/after/syntax \
1272 /usr/share/zenmap \
1273 /usr/share/zenmap/pixmaps \
1274 /usr/share/zsh \
1275 /usr/share/zsh/site-functions \
1276 /usr/squid \
1277 /usr/squid/bin \
1278 /usr/squid/libexec \
1279 /usr/squid/man \
1280 /usr/squid/man/man8 \
1281 /usr/squid/sbin \
1282 /usr/squid/share/errors \
1283 /usr/squid/share/errors/Armenian \
1284 /usr/squid/share/errors/Azerbaijani \
1285 /usr/squid/share/errors/Bulgarian \
1286 /usr/squid/share/errors/Catalan \
1287 /usr/squid/share/errors/Czech \
1288 /usr/squid/share/errors/Danish \
1289 /usr/squid/share/errors/Dutch \
1290 /usr/squid/share/errors/English \
1291 /usr/squid/share/errors/Estonian \
1292 /usr/squid/share/errors/Finnish \
1293 /usr/squid/share/errors/French \
1294 /usr/squid/share/errors/German \
1295 /usr/squid/share/errors/Greek \
1296 /usr/squid/share/errors/Hebrew \
1297 /usr/squid/share/errors/Hungarian \
1298 /usr/squid/share/errors/Italian \
1299 /usr/squid/share/errors/Japanese \
1300 /usr/squid/share/errors/Korean \
1301 /usr/squid/share/errors/Lithuanian \
1302 /usr/squid/share/errors/Polish \
1303 /usr/squid/share/errors/Portuguese \
1304 /usr/squid/share/errors/Romanian \
1305 /usr/squid/share/errors/Russian-1251 \
1306 /usr/squid/share/errors/Russian-koi8-r \
1307 /usr/squid/share/errors/Serbian \
1308 /usr/squid/share/errors/Simplify_Chinese \
1309 /usr/squid/share/errors/Slovak \
1310 /usr/squid/share/errors/Spanish \
1311 /usr/squid/share/errors/Swedish \
1312 /usr/squid/share/errors/Traditional_Chinese \
1313 /usr/squid/share/errors/Turkish \
1314 /usr/squid/share/errors/Ukrainian-1251 \

```

```

1315 /usr/squid/share/errors/Ukrainian-koi8-u \
1316 /usr/squid/share/errors/Ukrainian-utf8 \
1317 /usr/squid/share/icons \
1318 /usr/tomcat6 \
1319 /var/apache \
1320 /var/apache/cgi-bin \
1321 /var/apache/htdocs \
1322 /var/apache/icons \
1323 /var/apache/servlets\
1324 /var/apache2 \
1325 /var/apache2/2.2 \
1326 /var/ejabberd \
1327 /var/ejabberd/db \
1328 /var/ejabberd/log \
1329 /var/games \
1330 /var/lighttpd \
1331 /var/lighttpd/1.4 \
1332 /var/lighttpd/1.4/docroot \
1333 /var/log/privoxy \
1334 /var/php \
1335 /var/php/5.2 \
1336 /var/php/5.2/pear \
1337 /var/php/5.2/modules \
1338 /var/php/5.2/include \
1339 /var/php/5.2/include/php \
1340 /var/openldap \
1341 /var/ruby/ \
1342 /var/ruby/1.8 \
1343 /var/ruby/1.8/gem_home \
1344 /var/ruby/1.8/gem_home/cache \
1345 /var/ruby/1.8/gem_home/doc \
1346 /var/ruby/1.8/gem_home/gems \
1347 /var/ruby/1.8/gem_home/specifications \
1348 /var/samba \
1349 /var/samba/log \
1350 /var/samba/locks \
1351 /var/spool \
1352 /var/spool/samba \
1353 /var/squid \
1354 /var/squid/cache \
1355 /var/squid/logs \
1356 /var/tomcat6 \
1357 /usr/sfw/share/doc/ser \
1358 /etc/sfw/ser \
1359 /usr/sfw/lib/ser \
1360 /usr/sfw/lib/ser/modules \
1361 /usr/sfw/share/serweb \
1362 /usr/sfw/share/serweb/html \
1363 /usr/sfw/share/serweb/html/admin \
1364 /usr/sfw/share/serweb/html/admin/cron_job \
1365 /usr/sfw/share/serweb/html/img \
1366 /usr/sfw/share/serweb/html/img/butons \
1367 /usr/sfw/share/serweb/html/img/preload \
1368 /usr/sfw/share/serweb/html/img/tab \
1369 /usr/sfw/share/serweb/html/img/title \
1370 /usr/sfw/share/serweb/html/styles \
1371 /usr/sfw/share/serweb/html/user_interface \
1372 /usr/sfw/share/serweb/html/user_interface/reg \
1373 /usr/sfw/share/serweb/phplib \
1374 /usr/sfw/lib/mysql \
1375 /usr/sfw/mysql \
1376 /usr/sfw/mysql/mysql-test \
1377 /usr/sfw/mysql/mysql-test/t \
1378 /usr/sfw/mysql/mysql-test/r \
1379 /usr/sfw/mysql/mysql-test/include \
1380 /usr/sfw/mysql/mysql-test/std_data \

```

```

1381 /usr/sfw/include/mysql \
1382 /usr/sfw/share/mysql \
1383 /usr/sfw/share/mysql/charsets \
1384 /usr/sfw/share/mysql/czech \
1385 /usr/sfw/share/mysql/dutch \
1386 /usr/sfw/share/mysql/danish \
1387 /usr/sfw/share/mysql/english \
1388 /usr/sfw/share/mysql/estonian \
1389 /usr/sfw/share/mysql/french \
1390 /usr/sfw/share/mysql/german \
1391 /usr/sfw/share/mysql/greek \
1392 /usr/sfw/share/mysql/hungarian \
1393 /usr/sfw/share/mysql/italian \
1394 /usr/sfw/share/mysql/japanese \
1395 /usr/sfw/share/mysql/korean \
1396 /usr/sfw/share/mysql/norwegian \
1397 /usr/sfw/share/mysql/norwegian-ny \
1398 /usr/sfw/share/mysql/polish \
1399 /usr/sfw/share/mysql/portuguese \
1400 /usr/sfw/share/mysql/romanian \
1401 /usr/sfw/share/mysql/russian \
1402 /usr/sfw/share/mysql/slovak \
1403 /usr/sfw/share/mysql/spanish \
1404 /usr/sfw/share/mysql/swedish \
1405 /usr/sfw/share/mysql/ukrainian \
1406 /usr/pgadmin3 \
1407 /usr/pgadmin3/bin \
1408 /usr/pgadmin3/share \
1409 /usr/postgres \
1410 /usr/postgres/jdbc \
1411 /usr/postgres/upgrade \
1412 /usr/postgres/upgrade/bin \
1413 /usr/postgres/upgrade/etc \
1414 /usr/postgres/upgrade/81 \
1415 /usr/postgres/upgrade/81/bin \
1416 /usr/postgres/upgrade/82 \
1417 /usr/postgres/upgrade/82/lib \
1418 /usr/postgres/upgrade/82/share \
1419 /usr/postgres/8.2 \
1420 /usr/postgres/8.2/bin \
1421 /usr/postgres/8.2/doc \
1422 /usr/postgres/8.2/doc/pgtcl \
1423 /usr/postgres/8.2/doc/pgtcl/html \
1424 /usr/postgres/8.2/etc \
1425 /usr/postgres/8.2/include \
1426 /usr/postgres/8.2/jdbc \
1427 /usr/postgres/8.2/lib \
1428 /usr/postgres/8.2/lib/pgxs \
1429 /usr/postgres/8.2/lib/pgxs/src \
1430 /usr/postgres/8.2/lib/pgxs/src/test \
1431 /usr/postgres/8.2/lib/pgxs/src/test/regress \
1432 /usr/postgres/8.2/man \
1433 /usr/postgres/8.2/man/man1 \
1434 /usr/postgres/8.2/man/man5 \
1435 /usr/postgres/8.2/share \
1436 /usr/postgres/8.3 \
1437 /usr/postgres/8.3/bin \
1438 /usr/postgres/8.3/lib \
1439 /usr/postgres/8.3/doc/pgtcl/html \
1440 /var/mysql \
1441 /var/mysql/5.0 \
1442 /var/mysql/5.0/data \
1443 /var/mysql/5.1 \
1444 /var/mysql/5.1/data \
1445 /etc/sane.d/ \
1446 /etc/net-snmp \

```

```

1447 /etc/net-snmp/snmp \
1448 /etc/net-snmp/snmp/mibs \
1449 /etc/net-snmp/snmp/snmpconf-data \
1450 /etc/net-snmp/snmp/snmpconf-data/snmp-data \
1451 /etc/net-snmp/snmp/snmpconf-data/snmpd-data \
1452 /etc/net-snmp/snmp/snmpconf-data/snmptrapd-data \
1453 /usr/demo/net-snmp \
1454 /usr/demo/net-snmp/demo_module_1 \
1455 /usr/demo/net-snmp/demo_module_2 \
1456 /usr/demo/net-snmp/demo_module_3 \
1457 /usr/demo/net-snmp/demo_module_4 \
1458 /usr/demo/net-snmp/demo_module_5 \
1459 /usr/demo/net-snmp/demo_module_6 \
1460 /usr/demo/net-snmp/demo_module_7 \
1461 /usr/demo/net-snmp/demo_module_8 \
1462 /usr/demo/net-snmp/demo_module_9 \
1463 /usr/demo/net-snmp/demo_module_10 \
1464 /usr/demo/net-snmp/demo_module_11 \
1465 /usr/demo/net-snmp/demo_module_12 \
1466 /usr/lib/net-snmp \
1467 /usr/perl5 \
1468 /usr/perl5/5.8.4 \
1469 /usr/perl5/5.8.4/man \
1470 /usr/perl5/5.8.4/man/man3 \
1471 /usr/perl5/vendor_perl \
1472 /usr/perl5/vendor_perl/5.8.4 \
1473 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int \
1474 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/NetSNMP \
1475 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/NetSNMP/agent \
1476 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/Bundle \
1477 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto \
1478 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/Bundle \
1479 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/SNMP \
1480 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/NetSNMP \
1481 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/Bundle/NetSN
1482 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/NetSNMP/ASN
1483 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/NetSNMP/OID
1484 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/NetSNMP/agen
1485 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/NetSNMP/agen
1486 /usr/perl5/vendor_perl/5.8.4/$(PERLARCH)-solaris-64int/auto/NetSNMP/defa
1487 /usr/php \
1488 /usr/php/5.2 \
1489 /usr/php/5.2/bin \
1490 /usr/php/5.2/lib \
1491 /usr/php/5.2/lib/build \
1492 /usr/php/5.2/include \
1493 /usr/php/5.2/include/php \
1494 /usr/php/5.2/modules \
1495 /usr/php/5.2/doc \
1496 /usr/php/5.2/man \
1497 /usr/php/5.2/man/man1 \
1498 /usr/php/5.2/samples \
1499 /usr/php/5.2/samples/scripts \
1500 /usr/include/net-snmp \
1501 /usr/include/net-snmp/agent \
1502 /usr/include/net-snmp/library \
1503 /usr/include/net-snmp/machine \
1504 /usr/include/net-snmp/snmpplib \
1505 /usr/include/net-snmp/system \
1506 /usr/include/osip2 \
1507 /usr/include/osipparser2 \
1508 /usr/include/osipparser2/headers \
1509 /usr/include/ucd-snmp \
1510 /usr/include/ucd-snmp/agent \
1511 /usr/share/doc/net-snmp \
1512 /usr/share/doc/net-snmp/html

```

```

1514 ROOT.BIN64= \
1515 /usr/bin/$(MACH64) \
1516 /usr/lib/$(MACH64) \
1517 /usr/lib/$(MACH64)/pkgconfig \
1518 /usr/lib/pam_pkcs11/$(MACH64) \
1519 /usr/lib/security/$(MACH64) \
1520 /usr/sfw/bin/$(MACH64) \
1521 /usr/sfw/lib/$(MACH64) \
1522 /usr/apr/1.3/bin/$(MACH64) \
1523 /usr/apr/1.3/build/$(MACH64) \
1524 /usr/apr/1.3/lib/$(MACH64) \
1525 /usr/apr-util/1.3/bin/$(MACH64) \
1526 /usr/apr-util/1.3/lib/$(MACH64) \
1527 /usr/apache2/2.2/bin/$(MACH64) \
1528 /usr/apache2/2.2/lib/$(MACH64) \
1529 /usr/apache2/2.2/libexec/$(MACH64) \
1530 /var/apache2/2.2/libexec/$(MACH64) \
1531 /usr/mysql/5.0/bin/$(MACH64) \
1532 /usr/mysql/5.0/lib/$(MACH64) \
1533 /usr/mysql/5.1/bin/$(MACH64) \
1534 /usr/mysql/5.1/lib/$(MACH64) \
1535 /usr/postgres/8.2/bin/$(MACH64) \
1536 /usr/postgres/8.2/lib/$(MACH64) \
1537 /usr/postgres/8.3/bin/$(MACH64) \
1538 /usr/postgres/8.3/lib/$(MACH64) \
1539 /usr/lib/tcl8.4/snack2.2.10/$(MACH64) \
1540 /usr/lib/tcl8.4/tls1.6/$(MACH64) \
1541 /usr/lib/$(MACH64)/openwsman \
1542 /usr/lib/$(MACH64)/openwsman/authenticators \
1543 /usr/lib/$(MACH64)/openwsman/plugins \
1544 /usr/lib/$(MACH64)/wx \
1545 /usr/lib/$(MACH64)/wx/config \
1546 /usr/lib/$(MACH64)/wx/include \
1547 /usr/lib/$(MACH64)/wx/include/gtk2-unicode-release-2.8 \
1548 /usr/lib/$(MACH64)/wx/include/gtk2-unicode-release-2.8/wx

1551 NOBODY.BIN= \
1552 /var/apache/logs

1554 WEBSERVD.BIN= \
1555 /var/apache2/2.2/logs \
1556 /var/apache2/2.2/proxy \
1557 /var/apache2/2.2/libexec \
1558 /var/lighttpd/1.4/logs \
1559 /var/php/5.2/sessions

1561 BIN.BIN=

1563 ROOT.OTHER= \
1564 /usr/share/aclocal \
1565 /usr/share/doc \
1566 /usr/share/doc/activation \
1567 /usr/share/doc/imperius \
1568 /usr/share/doc/javamail \
1569 /usr/share/doc/jaxb \
1570 /usr/share/doc/junit \
1571 /usr/share/doc/sblim \
1572 /usr/share/doc/wiseman \
1573 /usr/share/doc/wiseman/wiseman-apidocs \
1574 /usr/share/doc/wiseman/wiseman-client-apidocs \
1575 /usr/share/lib/java/javadoc/junit \
1576 /usr/share/locale \
1577 /usr/share/locale/af \
1578 /usr/share/locale/af/LC_MESSAGES \

```

```

1579 /usr/share/locale/ar \
1580 /usr/share/locale/ar/LC_MESSAGES \
1581 /usr/share/locale/be \
1582 /usr/share/locale/be/LC_MESSAGES \
1583 /usr/share/locale/bg \
1584 /usr/share/locale/bg/LC_MESSAGES \
1585 /usr/share/locale/ca \
1586 /usr/share/locale/ca/LC_MESSAGES \
1587 /usr/share/locale/cs \
1588 /usr/share/locale/cs/LC_MESSAGES \
1589 /usr/share/locale/da \
1590 /usr/share/locale/da/LC_MESSAGES \
1591 /usr/share/locale/de \
1592 /usr/share/locale/de/LC_MESSAGES \
1593 /usr/share/locale/de_AT \
1594 /usr/share/locale/de_AT/LC_MESSAGES \
1595 /usr/share/locale/dz \
1596 /usr/share/locale/dz/LC_MESSAGES \
1597 /usr/share/locale/el \
1598 /usr/share/locale/el/LC_MESSAGES \
1599 /usr/share/locale/en \
1600 /usr/share/locale/en/LC_MESSAGES \
1601 /usr/share/locale/en_CA \
1602 /usr/share/locale/en_CA/LC_MESSAGES \
1603 /usr/share/locale/en_GB \
1604 /usr/share/locale/en_GB/LC_MESSAGES \
1605 /usr/share/locale/eo \
1606 /usr/share/locale/eo/LC_MESSAGES \
1607 /usr/share/locale/es \
1608 /usr/share/locale/es/LC_MESSAGES \
1609 /usr/share/locale/et \
1610 /usr/share/locale/et/LC_MESSAGES \
1611 /usr/share/locale/eu \
1612 /usr/share/locale/eu/LC_MESSAGES \
1613 /usr/share/locale/fo \
1614 /usr/share/locale/fo/LC_MESSAGES \
1615 /usr/share/locale/fr \
1616 /usr/share/locale/fr/LC_MESSAGES \
1617 /usr/share/locale/ga \
1618 /usr/share/locale/ga/LC_MESSAGES \
1619 /usr/share/locale/gl \
1620 /usr/share/locale/gl/LC_MESSAGES \
1621 /usr/share/locale/he \
1622 /usr/share/locale/he/LC_MESSAGES \
1623 /usr/share/locale/hr \
1624 /usr/share/locale/hr/LC_MESSAGES \
1625 /usr/share/locale/hu \
1626 /usr/share/locale/hu/LC_MESSAGES \
1627 /usr/share/locale/id \
1628 /usr/share/locale/id/LC_MESSAGES \
1629 /usr/share/locale/is \
1630 /usr/share/locale/is/LC_MESSAGES \
1631 /usr/share/locale/it \
1632 /usr/share/locale/it/LC_MESSAGES \
1633 /usr/share/locale/ja \
1634 /usr/share/locale/ja/LC_MESSAGES \
1635 /usr/share/locale/ko \
1636 /usr/share/locale/ko/LC_MESSAGES \
1637 /usr/share/locale/ky \
1638 /usr/share/locale/ky/LC_MESSAGES \
1639 /usr/share/locale/lt \
1640 /usr/share/locale/lt/LC_MESSAGES \
1641 /usr/share/locale/ms \
1642 /usr/share/locale/ms/LC_MESSAGES \
1643 /usr/share/locale/nb \
1644 /usr/share/locale/nb/LC_MESSAGES \

```

```

1645 /usr/share/locale/ne \
1646 /usr/share/locale/ne/LC_MESSAGES \
1647 /usr/share/locale/nl \
1648 /usr/share/locale/nl/LC_MESSAGES \
1649 /usr/share/locale/nn \
1650 /usr/share/locale/nn/LC_MESSAGES \
1651 /usr/share/locale/no \
1652 /usr/share/locale/no/LC_MESSAGES \
1653 /usr/share/locale/pa \
1654 /usr/share/locale/pa/LC_MESSAGES \
1655 /usr/share/locale/pl \
1656 /usr/share/locale/pl/LC_MESSAGES \
1657 /usr/share/locale/pt \
1658 /usr/share/locale/pt/LC_MESSAGES \
1659 /usr/share/locale/pt_BR \
1660 /usr/share/locale/pt_BR/LC_MESSAGES \
1661 /usr/share/locale/ro \
1662 /usr/share/locale/ro/LC_MESSAGES \
1663 /usr/share/locale/ru \
1664 /usr/share/locale/ru/LC_MESSAGES \
1665 /usr/share/locale/rw \
1666 /usr/share/locale/rw/LC_MESSAGES \
1667 /usr/share/locale/sk \
1668 /usr/share/locale/sk/LC_MESSAGES \
1669 /usr/share/locale/sl \
1670 /usr/share/locale/sl/LC_MESSAGES \
1671 /usr/share/locale/sr \
1672 /usr/share/locale/sr/LC_MESSAGES \
1673 /usr/share/locale/sr@Latn \
1674 /usr/share/locale/sr@Latn/LC_MESSAGES \
1675 /usr/share/locale/sv \
1676 /usr/share/locale/sv/LC_MESSAGES \
1677 /usr/share/locale/tr \
1678 /usr/share/locale/tr/LC_MESSAGES \
1679 /usr/share/locale/uk \
1680 /usr/share/locale/uk/LC_MESSAGES \
1681 /usr/share/locale/vi \
1682 /usr/share/locale/vi/LC_MESSAGES \
1683 /usr/share/locale/zh_CN \
1684 /usr/share/locale/zh_CN/LC_MESSAGES \
1685 /usr/share/locale/zh_TW \
1686 /usr/share/locale/zh_TW/LC_MESSAGES \
1687 /usr/share/yaz \
1688 /usr/share/yaz/etc \
1689 /usr/share/yaz/ill \
1690 /usr/share/yaz/z39.50
1683 /usr/share/locale/zh_TW/LC_MESSAGES

1692 LP.LP= \
1693 /etc/lp

1695 ROOT.LP= \
1696 /etc/lp/fd

1698 SYM.ROOT.SYS= \
1699 /usr/sfw/share/locale

1701 SYM.ROOT.BIN= \
1702 /usr/sfw/doc \
1703 /usr/sfw/info \
1704 /usr/sfw/man \
1705 /usr/sfw/src

1707 SYM.ROOT.BIN64= \
1708 /usr/lib/64 \
1709 /usr/mysql/5.0/bin/64 \

```

new/usr/src/Targetdirs

```

1710 /usr/mysql/5.0/lib/64 \
1711 /usr/mysql/5.1/bin/64 \
1712 /usr/mysql/5.1/lib/64 \
1713 /usr/postgres/8.2/bin/64 \
1714 /usr/postgres/8.2/lib/64 \
1715 /usr/postgres/8.3/bin/64 \
1716 /usr/postgres/8.3/lib/64 \
1717 /usr/lib/tcl8.4/snack2.2.10/64 \
1718 /usr/lib/tcl8.4/tls1.6/64

```

```

1720 ROOT.GAMES= \
1721 /var/games/nethack \
1722 /var/games/nethack/save

```

```
1724 # prepend the ROOT prefix
```

```
1726 ROOTDIRS= $(TARGETDIRS:%=$(ROOT)%)
```

```
1728 # conditional assignments
```

```

1729 #
1730 # Target directories with non-default values for owner and group must
1731 # be referenced here, using their fully-prefixed names, and the non-
1732 # default values assigned. If a directory is mentioned above and not
1733 # mentioned below, it has default values for attributes.
1734 #
1735 # The default values for OWNER, GROUP, and DIRMODE are specified in
1736 # /usr/src/Makefile.master.
1737 #

```

```

1739 $(ROOT.SYS:%=$(ROOT)% ):= GROUP= sys
1740 $(ROOT.BIN:%=$(ROOT)% ):= GROUP= bin
1741 $(ROOT.OTHER:%=$(ROOT)% ):= GROUP= other
1742 $(BIN.BIN:%=$(ROOT)% ):= GROUP= bin
1743 $(BIN.BIN:%=$(ROOT)% ):= OWNER= bin
1744 $(NOBODY.BIN:%=$(ROOT)% ):= OWNER= nobody
1745 $(NOBODY.BIN:%=$(ROOT)% ):= GROUP= bin
1746 $(WEBSERVD.BIN:%=$(ROOT)% ):= OWNER= webservd
1747 $(WEBSERVD.BIN:%=$(ROOT)% ):= GROUP= bin
1748 $(LP.LP:%=$(ROOT)% ):= OWNER= lp
1749 $(LP.LP:%=$(ROOT)% ):= GROUP= lp
1750 $(LP.LP:%=$(ROOT)% ):= DIRMODE=0775
1751 $(ROOT.LP:%=$(ROOT)% ):= OWNER= root
1752 $(ROOT.LP:%=$(ROOT)% ):= OWNER= lp
1753 $(ROOT.LP:%=$(ROOT)% ):= DIRMODE=0755
1754 $(ROOT.GAMES:%=$(ROOT)% ):= OWNER= root
1755 $(ROOT.GAMES:%=$(ROOT)% ):= GROUP= games
1756 $(ROOT.GAMES:%=$(ROOT)% ):= DIRMODE=0775

```

```

1758 $(ROOT)/etc/sfw/private := DIRMODE=500
1759 $(ROOT)/var/spool/samba := DIRMODE=1777
1760 $(ROOT)/var/samba/log := DIRMODE=755

```

```
1762 $(ROOT)/var/mysql := DIRMODE=700
```

```
1764 # symlink assignments, LINKDEST is the value of the symlink
```

```

1765 #
1766 $(ROOT)/usr/sfw/doc:= LINKDEST=share/doc
1767 $(ROOT)/usr/sfw/info:= LINKDEST=share/info
1768 $(ROOT)/usr/sfw/man:= LINKDEST=share/man
1769 $(ROOT)/usr/sfw/share/locale:= LINKDEST=../lib/locale
1770 $(ROOT)/usr/sfw/src:= LINKDEST=share/src
1771 $(ROOT)/usr/lib/64:= LINKDEST=$(MACH64)
1772 $(ROOT)/usr/mysql/5.0/bin/64:= LINKDEST=$(MACH64)
1773 $(ROOT)/usr/mysql/5.0/lib/64:= LINKDEST=$(MACH64)
1774 $(ROOT)/usr/mysql/5.1/bin/64:= LINKDEST=$(MACH64)
1775 $(ROOT)/usr/mysql/5.1/lib/64:= LINKDEST=$(MACH64)

```

27

new/usr/src/Targetdirs

```

1776 $(ROOT)/usr/postgres/8.2/bin/64:= LINKDEST=$(MACH64)
1777 $(ROOT)/usr/postgres/8.2/lib/64:= LINKDEST=$(MACH64)
1778 $(ROOT)/usr/postgres/8.3/bin/64:= LINKDEST=$(MACH64)
1779 $(ROOT)/usr/postgres/8.3/lib/64:= LINKDEST=$(MACH64)
1780 $(ROOT)/usr/lib/tcl8.4/snack2.2.10/64:= LINKDEST=$(MACH64)
1781 $(ROOT)/usr/lib/tcl8.4/tls1.6/64:= LINKDEST=$(MACH64)
1782 $(ROOT)/usr/lib/libusb_plugins/64:= LINKDEST=$(MACH64)

```

```
1785 $(SYM.ROOT.SYS:%=$(ROOT)% ):= GROUP= sys
```

```

1787 $(SYMLINKS:%=$(ROOT)% ):= \
1788 INS.dir= -$(RM) -r $@; $(SYMLINK) $(LINKDEST) $@; \
1789 $(CHOWN) $(OWNER) $@; $(CHGRP) $(GROUP) $@

```

28

```

*****
3627 Fri Jul 17 10:02:02 2009
new/usr/src/lib/Makefile
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)Makefile 1.84 09/07/17 SMI"
27 # ident "@(#)Makefile 1.83 09/07/07 SMI"
28 #
29 #
30 # lib/Makefile
31 #
32 #
33 # include global definitions
34 include ../Makefile.master
35 #
36 #
37 # Certain libraries are linked with, hence depend on, other libraries.
38 #
39 # Although we have historically used .WAIT to express dependencies, it
40 # reduces the amount of parallelism and thus lengthens the time it
41 # takes to build the libraries. Thus, we now require that any new
42 # libraries explicitly call out their dependencies.
43 #
44 # Aside from explicit dependencies all libraries are built in parallel.
45 #
46 .PARALLEL:
47 #
48 COMMON_SUBDIRS= \
49     aalib \
50     activation \
51     antlr2 \
52     ant \
53     stringtemplate \
54     antlr \
55     cglib \
56     commons-collections \
57     dom4j \
58     fastcgi \
59     glib \
60     gtk+ \

```

```

61     gd2 \
62     gdbm \
63     gnump \
64     idn \
65     ilmbase \
66     pcre \
67     curl \
68     janino \
69     jarjar \
70     jaxb \
71     jaxen-core \
72     jdom \
73     jdtcore \
74     jettison \
75     joda-time \
76     junit \
77     jxl \
78     mvel \
79     objectasm \
80     relaxngDatatype \
81     tcl \
82     tk \
83     xpp3-min \
84     zlib \
85     fftw2 \
86     fftw3 \
87     javamail \
88     libconfuse \
89     libxml2 \
90     libxslt \
91     libexpat \
92     libneon \
93     libusb \
94     libusbgen \
95     lcms \
96     libedit \
97     libevent \
98     libmcrypto \
99     libmcmcached \
100    libmng \
101    libnet \
102    libpcap \
103    libosip2 \
104    librsync \
105    libsigsegv \
106    libsndfile \
107    libtorrent \
108    libxmlrpc-c \
109    libyaz \
110    logilab-common \
111    log4j \
112    logilab-astng \
113    memcached \
114    memcached-java \
115    mpfr \
116    pmdbi \
117    pull-parser \
118    slang \
119    tidy \
120    usb_ccid_ifd \
121    wxwidgets \
122    xom \
123    xsdlib \
124    xstream \
125    drools \
126    sblim \

```

new/usr/src/lib/Makefile

3

```
127     imperius \
128     slib \
129     readline \
130     openexr \
131     openssl \
132     openusb \
133     pam_pkcs11 \
134     perl_net_ssleay \
135     pyopenssl \
136     python26-pyopenssl \
137     saaj \
138     sane-backends \
139     snack \
140     sqlite3 \
141     tcltls \
142     trousers \
143     unixodbc \
144     wiseman

146 sparc_SUBDIRS=

148 i386_SUBDIRS=

150 SUBDIRS= $(COMMON_SUBDIRS) ${$(MACH)_SUBDIRS}

152 all :=          TARGET= all
153 install :=     TARGET= install
154 install_h :=  TARGET= install_h
155 clean :=      TARGET= clean
156 clobber :=    TARGET= clobber
157 lint :=       TARGET= lint
158 meta-check := TARGET= meta-check
159 component-hook := TARGET= component-hook

161 install_h all install clean clobber meta-check component-hook: $(SUBDIRS)

163 $(SUBDIRS): FRC
164     @cd $@; echo "${TARGET} \c"; pwd; $(MAKE) $(MAKEFILE) $(TARGET)

166 tk: tcl
167 gtk+: glib tk
168 libneon: openssl zlib libxml2
169 libxslt: libxml2
170 usb_ccid_ifd: libusb libusbgen
171 libusbgen: libusb
172 curl: openssl zlib idn
173 libxmlrpc-c: curl
174 memcached: libevent
175 sqlite3: tcl
176 lcms: zlib
177 libmng: lcms
178 mpfr: gnumpp
179 slang: pcre zlib
180 snack: tcl tk
181 tcltls: openssl tcl
182 openexr: ilmbase
183 imperius: antlr2 sblim
184 xom: jaxen-core
185 jaxb: activation
186 saaj: activation
187 ant: antlr2
188 antlr: antlr2 ant
189 stringtemplate: antlr2 ant
190 drools: xstream jdtcore mvel janino jxl junit antlr
191 wiseman: saaj jaxb
192 trousers: openssl
```

new/usr/src/lib/Makefile

4

```
193 pam_pkcs11: openssl
194 perl_net_ssleay: openssl
195 pyopenssl: openssl
196 python26-pyopenssl: openssl

199 FRC:
```

new/usr/src/lib/libyaz/METADATA

1

417 Fri Jul 17 10:02:03 2009

new/usr/src/lib/libyaz/METADATA

6856712 RFE to include yaz development toolkit into SFW consolidation

```
1 NAME: yaz
2 VERSION: 3.0.46
3 DESCRIPTION: toolkit supporting the development of Z39.50/SRW/SRU clients a
4 LICENSE: BSD-LIKE
5 PACKAGE: SUNWlibyaz
6 PROJECT_URL: http://www.indexdata.dk/yaz
7 SOURCE_DOWNLOAD: http://ftp.indexdata.dk/pub/yaz/yaz-3.0.46.tar.gz
8 SUPPORT: Community
9 BUGTRAQ: solaris/utility/yaz
10 OSR: 11329
11 COMMENTS:
```

```

*****
3613 Fri Jul 17 10:02:03 2009
new/usr/src/lib/libyaz/Makefile.sfw
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)Makefile.sfw 1.1 09/07/17 SMI"
27 #
28 #
29 #
30 # lib/libyaz/Makefile.sfw
31 #
32 #
33 VER = $(COMPONENT_NAME:sh)-$(COMPONENT_VERSION:sh)
34 VER64 = $(VER)-64
35 TARBALL = $(VER).tar.gz
36 #
37 PREFIX = $(ROOT)/usr
38 #
39 CONFIGURE_GENERIC = LDFLAGS="$(LDFLAGS)"
40 CONFIGURE_GENERIC += PATH=$(SFW_PATH)
41 CONFIGURE_GENERIC += MAKE="$(CCSMAKE)"
42 #
43 PRE_CONFIGURE = CC="$(CC)"
44 PRE_CONFIGURE += CFLAGS="$(CFLAGS)"
45 PRE_CONFIGURE += $(CONFIGURE_GENERIC)
46 #
47 PRE_CONFIGURE_64 = CC="$(CC64)"
48 PRE_CONFIGURE_64 += CFLAGS="$(CFLAGS64)"
49 PRE_CONFIGURE_64 += $(CONFIGURE_GENERIC)
50 #
51 GENERIC_OPTIONS = --datarootdir="/usr/share"
52 GENERIC_OPTIONS += --includedir=$(CFGINC)
53 GENERIC_OPTIONS += --mandir=$(CFGMAN)
54 GENERIC_OPTIONS += INSTALL="$(INSTALL_PROTO)"
55 GENERIC_OPTIONS += INSTALL_DATA="$(INSTALL_PROTO) -m 444"
56 #
57 CONFIGURE_OPTIONS_32 = --bindir=$(CFGBIN)
58 CONFIGURE_OPTIONS_32 += --libdir=$(CFGLIB)
59 CONFIGURE_OPTIONS_32 += $(GENERIC_OPTIONS)
60 #
61 CONFIGURE_OPTIONS_64 = --bindir=$(CFGBIN64)

```

```

62 CONFIGURE_OPTIONS_64 += --libdir=$(CFGLIB64)
63 CONFIGURE_OPTIONS_64 += $(GENERIC_OPTIONS)
64 #
65 include ../Makefile.lib
66 #
67 all: all32 test32 install32 all64 test64 install64
68 #
69 all32: $(VER)/config.status
70 (cd $(VER); env - "CFLAGS=$(CFLAGS)" $(CONFIGURE_GENERIC) $(CCSMAKE))
71 #
72 all64: $(VER64)/config.status
73 (cd $(VER64); env - "CFLAGS=$(CFLAGS64)" $(CONFIGURE_GENERIC) $(CCSMAKE))
74 #
75 test32:
76 (cd $(VER); env - $(CCSMAKE) check)
77 #
78 test64:
79 (cd $(VER64); env - $(CCSMAKE) check)
80 #
81 install: all
82 for pkg in $(COMPONENT_PACKAGES:sh) ; do \
83 $(SRC)/tools/prototfix --pkg $$pkg --perm ; \
84 done
85 #
86 $(RM) \
87 $(ROOTBIN)/yaz-icu \
88 $(ROOTMAN1)/yaz-icu.1 \
89 $(ROOTLIB)/libyaz*.a \
90 $(ROOTLIB)/libyaz*.la \
91 $(ROOTBIN64)/yaz-* \
92 $(ROOTBIN64)/zoomsh \
93 $(ROOTLIB64)/libyaz*.a \
94 $(ROOTLIB64)/libyaz*.la \
95 $(ROOTLIB64)/pkgconfig/yaz.pc
96 #
97 install32:
98 (cd $(VER); env - $(CCSMAKE) MANSCRIPT=$(COMPONENT_TOP)/sunman-stability)
99 #
100 install64:
101 (cd $(VER64); env - $(CCSMAKE) MANSCRIPT=$(COMPONENT_TOP)/sunman-stabili)
102 #
103 $(VER)/config.status: $(VER)/configure
104 (cd $(VER); env - $(PRE_CONFIGURE) $(SHELL) ./configure $(CONFIGURE_OPTI)
105 #
106 $(VER64)/config.status: $(VER64)/configure
107 (cd $(VER64); env - $(PRE_CONFIGURE_64) $(SHELL) ./configure $(CONFIGURE)
108 #
109 $(VER)/configure: $(TARBALL)
110 $(GTAR) xzpf $(TARBALL) --no-same-owner
111 $(TOUCH) $(VER)/configure
112 #
113 $(VER64)/configure: $(TARBALL)
114 $(MKDIR) -p tmp; (cd tmp; $(GTAR) xzpf ../$(TARBALL) --no-same-owner)
115 $(MV) tmp/$(VER) $(VER64); $(RMDIR) tmp
116 $(TOUCH) $(VER64)/configure
117 #
118 clean:
119 -rm -rf $(VER) $(VER64)
120 #
121 install_h:
122 #
123 include ../Makefile.targ

```

new/usr/src/lib/libyaz/sunman-stability

1

1456 Fri Jul 17 10:02:03 2009

new/usr/src/lib/libyaz/sunman-stability

6856712 RFE to include yaz development toolkit into SFW consolidation

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
22 # Use is subject to license terms.
23 #
24 # ident "@(#)sunman-stability 1.1 09/07/17 SMI"
25 #
26 li\
27 '\\" t\
28 \.\\.\"
29 \.\\.\" Modified for Solaris to to add the Solaris stability classification,\
30 \.\\.\" and to add a note about source availability.\
31 \.\\.\"
32 $a\
33 \.\\.\" Begin Sun update\
34 .SH ATTRIBUTES\
35 See\
36 .BR attributes (5)\
37 for descriptions of the following attributes:\
38 .sp\
39 .TS\
40 box;\
41 cbp-1 | cbp-1\
42 1 | 1 .\
43 ATTRIBUTE TYPE ATTRIBUTE VALUE\
44 =\
45 Availability SUNWlibyaz \
46 =\
47 Interface Stability Uncommitted \
48 .TE \
49 .PP\
50 .SH NOTES\
51 Source for YAZ is available on http://opensolaris.org.\
52 \.\\.\" End Sun update
```

new/usr/src/lib/libyaz/yaz-3.0.46.tar.gz

1

```
*****  
 2078142 Fri Jul 17 10:02:03 2009  
new/usr/src/lib/libyaz/yaz-3.0.46.tar.gz  
6856712 RFE to include yaz development toolkit into SFW consolidation  
*****  
_____unchanged_portion_omitted_
```

```

*****
9020 Fri Jul 17 10:02:03 2009
new/usr/src/pkgdefs/Makefile
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)Makefile 1.252 09/07/17 SMI"
27 # ident "@(#)Makefile 1.251 09/07/12 SMI"
28 #
29 #
30 # pkgdefs/Makefile
31 #
32 #
33 include $(SRC)/Makefile.master
34 #
35 sparc_SUBDIRS=
36 #
37 i386_SUBDIRS=
38 #
39 COMMON_SUBDIRS= \
40     SUNW0sfw \
41     SUNWa2psr \
42     SUNWa2psu \
43     SUNWaalib \
44     SUNWaconf \
45     SUNWactivation \
46     SUNWaget \
47     SUNWantlr2 \
48     SUNWapchd \
49     SUNWapchr \
50     SUNWapchu \
51     SUNWapr13lib \
52     SUNWapr13dev \
53     SUNWapr13doc \
54     SUNWapul3lib \
55     SUNWapul3dev \
56     SUNWapul3doc \
57     SUNWapul3dbd-mysql \
58     SUNWapul3dbd-pgsq \
59     SUNWapul3dbd-sqlite \
60     SUNWapul3-ldap \

```

```

61     SUNWapch22d \
62     SUNWapch22r \
63     SUNWapch22u \
64     SUNWapch22m-php52 \
65     SUNWapch22r-php52 \
66     SUNWapch22m-fcgid \
67     SUNWapch22r-fcgid \
68     SUNWapch22m-jk \
69     SUNWapch22r-jk \
70     SUNWapch22m-security \
71     SUNWapch22r-security \
72     SUNWapch22m-dtrace \
73     SUNWapch22r-dtrace \
74     SUNWapch22m-sed \
75     SUNWapch22r-sed \
76     SUNWant \
77     SUNWautogen \
78     SUNWstringtemplate \
79     SUNWantlr \
80     SUNWareca \
81     SUNWawstats \
82     SUNWbash \
83     SUNWbcc \
84     SUNWbeanshell \
85     SUNWbinutils \
86     SUNWbison \
87     SUNWbonnieplus \
88     SUNWbvi \
89     SUNWbwm-ng \
90     SUNWbzip \
91     SUNWcglib \
92     SUNWcimserverr \
93     SUNWcimserveru \
94     SUNWclisp \
95     SUNWcmake \
96     SUNWcommons-collections \
97     SUNWconflict \
98     SUNWconmanr \
99     SUNWconmanu \
100    SUNWconvmv \
101    SUNWcupsr \
102    SUNWcupsu \
103    SUNWcurl \
104    SUNWcvs \
105    SUNWdom4j \
106    SUNWdoxygen \
107    SUNWdosbox \
108    SUNWdrools \
109    SUNWdwdiff \
110    SUNWejabberdr \
111    SUNWejabberdu \
112    SUNWelinks \
113    SUNWerlang \
114    SUNWerlang-doc \
115    SUNWepydoc \
116    SUNWexpect \
117    SUNWfcgi \
118    SUNWfcgi-doc \
119    SUNWunrar \
120    SUNWunzip \
121    SUNWdvdrw \
122    SUNWfetchmail \
123    SUNWfiltersr \
124    SUNWfiltersu \
125    SUNWfftw2 \
126    SUNWfftw3 \

```

new/usr/src/pkgdefs/Makefile

```

127     SUNWflexlex \
128     SUNWflexruntime \
129     SUNWfping \
130     SUNWfpingr \
131     SUNWfoomatic-db \
132     SUNWfoomatic-db-engine \
133     SUNWfoomatic-db-engineu \
134     SUNWfppd \
135     SUNWgawk \
136     SUNWgcc \
137     SUNWgccruntime \
138     SUNWgcmn \
139     SUNWgdb \
140     SUNWgd2 \
141     SUNWghostscript \
142     SUNWghostscriptu \
143     SUNWgimpprint \
144     SUNWgpch \
145     SUNWggrp \
146     SUNWgit \
147     SUNWgm4 \
148     SUNWgmake \
149     SUNWgnu-automake-19 \
150     SUNWgnu-automake-110 \
151     SUNWgnu-coreutils \
152     SUNWgnu-dbm \
153     SUNWgnu-diffutils \
154     SUNWgnu-emacs \
155     SUNWgnu-emacs-el \
156     SUNWgnu-emacs-gtk \
157     SUNWgnu-emacs-nox \
158     SUNWgnu-emacs-x \
159     SUNWgnu-gettext \
160     SUNWgnu-gperf \
161     SUNWgnu-idn \
162     SUNWgnu-mc \
163     SUNWgnu-mp \
164     SUNWgnu-mpfr \
165     SUNWgnu-nano \
166     SUNWgnu-readline \
167     SUNWgnu-which \
168     SUNWgocr \
169     SUNWgrails \
170     SUNWgsed \
171     SUNWgsfot \
172     SUNWgsfst \
173     SUNWgtar \
174     SUNWguile \
175     SUNWGlib \
176     SUNWGtkr \
177     SUNWGtku \
178     SUNWgvim \
179     SUNWgzip \
180     SUNWhal-cups-utils \
181     SUNWhal-cups-utils \
182     SUNWhexedit \
183     SUNWhpijs \
184     SUNWhttping \
185     SUNWiftop \
186     SUNWilmbase \
187     SUNWimagick \
188     SUNWImperius \
189     SUNWiozone \
190     SUNWiperf \
191     SUNWipmi \
192     SUNWipmir \

```

3

new/usr/src/pkgdefs/Makefile

```

193     SUNWircii \
194     SUNWjedit \
195     SUNWjavamail \
196     SUNWjruby \
197     SUNWlablgtk \
198     SUNWjanino \
199     SUNWjarjar \
200     SUNWjaxb \
201     SUNWjaxen-core \
202     SUNWjdtcore \
203     SUNWjdom \
204     SUNWjettison \
205     SUNWjoditime \
206     SUNWjunit \
207     SUNWjxl \
208     SUNWkonkretcmpi \
209     SUNWlcms \
210     SUNWless \
211     SUNWlexpt \
212     SUNWlftpr \
213     SUNWlftpu \
214     SUNWlibconfuse \
215     SUNWlibevent \
216     SUNWlibmccrypt \
217     SUNWlibmemcached \
218     SUNWlibmng \
219     SUNWlibnet \
220     SUNWlibopenusb \
221     SUNWlibpcap \
222     SUNWlibosip2 \
223     SUNWlibrsync \
224     SUNWlibsigsegv \
225     SUNWlibsndfile \
226     SUNWlibtool \
227     SUNWlibtorrent \
228     SUNWlibxmlrpc-c \
229     SUNWlibyaz \
230     SUNWlinks \
231     SUNWlogilab-common \
232     SUNWlogrotater \
233     SUNWlogrotateu \
234     SUNWlog4j \
235     SUNWlogilab-astng \
236     SUNWlighttpd14r \
237     SUNWlighttpd14u \
238     SUNWltdl \
239     SUNWlua \
240     SUNWlxml \
241     SUNWlxmlr \
242     SUNWlxml-devel \
243     SUNWlxml-python \
244     SUNWlxsl \
245     SUNWlxsl-devel \
246     SUNWlxsl-python \
247     SUNWmeld \
248     SUNWmemcached \
249     SUNWmemcachedr \
250     SUNWmemcached-java \
251     SUNWmercurial \
252     SUNWmkcd \
253     SUNWmkcdr \
254     SUNWmrtg \
255     SUNWmrxvt \
256     SUNWmtx \
257     SUNWmutt \
258     SUNWmuttr \

```

4

```

259     SUNWmvel \
260     SUNWmysqlr \
261     SUNWmysqlt \
262     SUNWmysqlu \
263     SUNWmysql5u \
264     SUNWmysql5r \
265     SUNWmysql5test \
266     SUNWmysql5jdbc \
267     SUNWmysql51r \
268     SUNWmysql51u \
269     SUNWmysql51lib \
270     SUNWmysql51test \
271     SUNWncft \
272     SUNWneon \
273     SUNWnethack \
274     SUNWnethackr \
275     SUNWnmap \
276     SUNWntpr \
277     SUNWntpu \
278     SUNWobjectasm \
279     SUNWocaml \
280     SUNWopenexr \
281     SUNWopenldapr \
282     SUNWopenldapu \
283     SUNWopenssl-commands \
284     SUNWopenssl-include \
285     SUNWopenssl-libraries \
286     SUNWopenssl-man \
287     SUNWopensslr \
288     SUNWopenwsmanr \
289     SUNWopenwsmanu \
290     SUNWp7zip \
291     SUNWpampkcs11r \
292     SUNWpampkcs11u \
293     SUNWpampkcs11-docs \
294     SUNWpatchutils \
295     SUNWpconsoler \
296     SUNWpconsole \
297     SUNWpre \
298     SUNWpen \
299     SUNWpenr \
300     SUNWperl-net-ssleay \
301     SUNWperl-pmtools \
302     SUNWpgadmin3 \
303     SUNWpgbouncer-pg83-config \
304     SUNWpgbouncer-pg83-server \
305     SUNWphp52d \
306     SUNWphp52u \
307     SUNWphp52r \
308     SUNWphp52u-mysql \
309     SUNWphp52r-mysql \
310     SUNWphp52u-pear \
311     SUNWphp52r-pear \
312     SUNWphp52u-pgsql \
313     SUNWphp52r-pgsql \
314     SUNWpipe-viewer \
315     SUNWpmbi \
316     SUNWpmbdpg \
317     SUNWpostgr-82-client \
318     SUNWpostgr-82-contrib \
319     SUNWpostgr-82-devel \
320     SUNWpostgr-82-docs \
321     SUNWpostgr-82-libs \
322     SUNWpostgr-82-pl \
323     SUNWpostgr-82-server \
324     SUNWpostgr-82-server-data-root \

```

```

325     SUNWpostgr-82-jdbc \
326     SUNWpostgr-82-tcl \
327     SUNWpostgr-83-client \
328     SUNWpostgr-83-contrib \
329     SUNWpostgr-83-devel \
330     SUNWpostgr-83-docs \
331     SUNWpostgr-83-libs \
332     SUNWpostgr-83-pl \
333     SUNWpostgr-83-server \
334     SUNWpostgr-83-server-data-root \
335     SUNWpostgr-83-tcl \
336     SUNWpostgr-83-tests \
337     SUNWpostgr-jdbc \
338     SUNWpostgr-upgrade \
339     SUNWpowermanr \
340     SUNWpowermanu \
341     SUNWprivoxyr \
342     SUNWprivoxyu \
343     SUNWprocmail \
344     SUNWpsutils \
345     SUNWpull-parser \
346     SUNWpycups \
347     SUNWpylint \
348     SUNWpython-pyopenssl \
349     SUNWpython26-pyopenssl \
350     SUNWpwgen \
351     SUNWquiltr \
352     SUNWquiltu \
353     SUNWrdiff-backup \
354     SUNWrelaxngDatatype \
355     SUNWrpm \
356     SUNWrsync \
357     SUNWrtorrent \
358     SUNWruby18u \
359     SUNWruby18r \
360     SUNWsaa \
361     SUNWsane-backendr \
362     SUNWsane-backendu \
363     SUNWsane-frontend \
364     SUNWSblimCimClient \
365     SUNWSblimwbemcli \
366     SUNWscreen \
367     SUNWscreenrc \
368     SUNWserr \
369     SUNWseru \
370     SUNWserweb \
371     SUNWsfdoc \
372     SUNWsfinf \
373     SUNWsfman \
374     SUNWsfwhea \
375     SUNWsg3utilsr \
376     SUNWsg3utilsu \
377     SUNWshmux \
378     SUNWsimplewbem \
379     SUNWslang \
380     SUNWslangr \
381     SUNWslrn \
382     SUNWsmbar \
383     SUNWsmbau \
384     SUNWsnack \
385     SUNWsnortr \
386     SUNWsnortu \
387     SUNWsqlite3 \
388     SUNWsqlite3docs \
389     SUNWsqlite3tcl \
390     SUNWsquidr \

```

```

391     SUNWsqquid \
392     SUNWstunnelr \
393     SUNWstunnelu \
394     SUNWsdudor \
395     SUNWsdoud \
396     SUNWsvn \
397     SUNWsvn-java \
398     SUNWsvn-perl \
399     SUNWsvn-python \
400     SUNWswig \
401     SUNWTcl \
402     SUNWtcltls \
403     SUNWtcatr \
404     SUNWtcatu \
405     SUNWtcsch \
406     SUNWttxi \
407     SUNWtidy \
408     SUNWtk \
409     SUNWtop \
410     SUNWtor \
411     SUNWtor-root \
412     SUNWtree \
413     SUNWtss \
414     SUNWtss-root \
415     SUNWunison \
416     SUNWunixodbcr \
417     SUNWunixodbc \
418     SUNWvim \
419     SUNWwgetr \
420     SUNWwgetu \
421     SUNWxpp3min \
422     SUNWxsdlib \
423     SUNWxstream \
424     SUNWxom \
425     SUNWzlib \
426     SUNWzlibr \
427     SUNWzip \
428     SUNWzsh \
429     SUNWnet-snmp-mgr \
430     SUNWnet-snmp-core \
431     SUNWnet-snmp-doc \
432     SUNWnet-snmp-utils \
433     SUNWnet-snmp-addons \
434     SUNWlibusb \
435     SUNWlibusbugen \
436     SUNWquaggar \
437     SUNWquaggau \
438     SUNWbind \
439     SUNWbindc \
440     SUNWbindr \
441     SUNWslib \
442     SUNWwebalizer \
443     SUNWwebalizerr \
444     SUNWwebminu \
445     SUNWwebminr \
446     SUNWwiresark \
447     SUNWwiresarkr \
448     SUNWwisemanr \
449     SUNWwisemanu \
450     SUNWwxwidgets \
451     SUNWwxwidgets-devel \
452     SUNWusbccid \
453     SUNWdiffstat

```

```

455 # STUB_ON_SUBDIRS are directories that are placeholder stubs
456 # for packages delivered by the ON consolidation. These directories

```

```

457 # provide enough information about the files delivered by the real
458 # package to allow protocmp to properly validate such dependencies.
459 # However, no corresponding package is delivered.
460 #
461 # At the current time, this feature is used to allow use of
462 # /usr/lib/isaexec from sfw.
463 STUB_ON_SUBDIRS= \
464     SUNWcsu

466 SUBDIRS= ${$(MACH)_SUBDIRS} ${COMMON_SUBDIRS} ${STUB_ON_SUBDIRS}

468 all :=          TARGET= all
469 install :=      TARGET= install
470 install_h :=    TARGET= install_h
471 clean :=        TARGET= clean
472 clobber :=      TARGET= clobber

474 %: %.ksh
475     $(RM) $@
476     cp $< $@
477     chmod +x $@

479 .KEEP_STATE:

481 .PARALLEL: $(SUBDIRS)

483 all: awk_pkginfo audit_pkg $(SUBDIRS)

485 install: awk_pkginfo audit_pkg $(SUBDIRS) $(SFW_RUN_CHECK_DEPS) check_deps

487 check_deps:
488     @echo "\n==== Checking package dependencies ==== \n"
489     @if [ ! -d "$(SFW_PKGDB)" ]; then \
490         echo "error: SFW_PKGDB must be set"; \
491     else ; \
492         echo $(SFW_CHECK_DEPS) $(SUBDIRS); \
493         $(SFW_CHECK_DEPS) $(SUBDIRS); \
494     fi

496 clean clobber: $(SUBDIRS)
497     $(RM) awk_pkginfo bld_awk_pkginfo

499 $(SUBDIRS): FRC
500     @cd $@; echo "$(TARGET) \c" ; pwd; $(MAKE) $(TARGET)

502 awk_pkginfo: bld_awk_pkginfo
503     ./bld_awk_pkginfo -m $(MACH) -p "$(SFWRELEASE)/$(SFWVERSION)" -o $@ \
504     -v $(SFWVERS)

507 FRC:

```

new/usr/src/pkgdefs/SUNWlibyaz/Makefile

1

1076 Fri Jul 17 10:02:03 2009

new/usr/src/pkgdefs/SUNWlibyaz/Makefile

6856712 RFE to include yaz development toolkit into SFW consolidation

```
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)Makefile 1.1 09/07/17 SMI"
27 #
28 #
29 #
30 # pkgdefs/SUNWlibyaz/Makefile
31 #
32 #
33 include ../Makefile.com
34 #
35 .KEEP_STATE:
36 #
37 all: $(FILES)
38 install: all pkg
39 #
40 include ../Makefile.targ
```

2009 Fri Jul 17 10:02:03 2009

new/usr/src/pkgdefs/SUNWlibyaz/copyright

6856712 RFE to include yaz development toolkit into SFW consolidation

1 The copyright owners of this package license the public to copy it
2 (and do other things with it which are controlled by copyright law)
3 under a few simple conditions.

5 Each source files describes the copyright license for that particular
6 file. This file summarizes the licenses for your convenience.

8 An electronic copy can be found here: <http://www.indexdata.dk/licensing/bsd>

10 Index Data
11 -----
12 Revised BSD License
13 -----
14 Copyright (C) 1995-2009 Index Data

16 All rights reserved.

18 Redistribution and use in source and binary forms, with or without modification,
19 are permitted provided that the following conditions are met:
20 Redistributions of source code must retain the above copyright notice, this list
21 of conditions and the following disclaimer.

23 Redistributions in binary form must reproduce the above copyright notice,
24 this list of conditions and the following disclaimer in the documentation
25 and/or other materials provided with the distribution.

27 Neither the name of Index Data nor the names of its contributors may be used to
28 endorse or promote products derived from this software without specific prior
29 written permission.

31 THIS SOFTWARE IS PROVIDED BY INDEX DATA ``AS IS'' AND ANY EXPRESS OR IMPLIED
32 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
33 MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
34 IN NO EVENT SHALL INDEX DATA BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
35 SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
36 PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
37 OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
38 WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
39 (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
40 SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

2137 Fri Jul 17 10:02:03 2009

new/usr/src/pkgdefs/SUNWlibyaz/depend

6856712 RFE to include yaz development toolkit into SFW consolidation

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)depend 1.1 09/07/17 SMI"
27 #
28 #
29 #
30 # This package information file defines software dependencies associated
31 # with the pkg. You can define three types of pkg dependencies with this file:
32 #     P indicates a prerequisite for installation
33 #     I indicates an incompatible package
34 #     R indicates a reverse dependency
35 # <pkg.abbr> see pkginfo(4), PKG parameter
36 # <name> see pkginfo(4), NAME parameter
37 # <version> see pkginfo(4), VERSION parameter
38 # <arch> see pkginfo(4), ARCH parameter
39 # <type> <pkg.abbr> <name>
40 #     (<arch><version>)
41 #     (<arch><version>)
42 #     ...
43 # <type> <pkg.abbr> <name>
44 # ...
45 #
46 #
47 #
48 # pkgdefs/SUNWlibyaz/depend
49 #
50 #
51 P SUNWcar          Core Architecture, (Root)
52 P SUNWcakr         Core Solaris Kernel Architecture (Root)
53 P SUNWkvm          Core Architecture, (Kvm)
54 P SUNWcsr          Core Solaris, (Root)
55 P SUNWckr          Core Solaris Kernel (Root)
56 P SUNWcnetr        Core Solaris Network Infrastructure (Root)
57 P SUNWcsu          Core Solaris, (Usr)
58 P SUNWcsd          Core Solaris Devices
59 P SUNWcsl          Core Solaris Libraries
60 P SUNWcslr         Core Solaris Libraries (Root)
61 P SUNWgnutls       GNU transport layer security library

```

```

62 P SUNWlxsl        The XSLT library
63 P SUNWgnu-readline GNU readline

```

1871 Fri Jul 17 10:02:03 2009

new/usr/src/pkgdefs/SUNWlibyaz/pkginfo.tpl

6856712 RFE to include yaz development toolkit into SFW consolidation

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)pkginfo.tpl 1.1 09/07/17 SMI"
27 #
28 #
29 #
30 # This required package information file describes characteristics of the
31 # package, such as package abbreviation, full package name, package version,
32 # and package architecture.
33 #
34 #
35 #
36 # pkgdefs/SUNWlibyaz/pkginfo.tpl
37 #
38 #
39 PKG="SUNWlibyaz"
40 NAME="yaz"
41 ARCH="ISA"
42 VERSION="SFWVERS,REV=0.0.0"
43 SUNW_PRODNAME="SunOS"
44 SUNW_PRODVERS="RELEASE/VERSION"
45 SUNW_PKGTYPE="usr"
46 MAXINST="1000"
47 CATEGORY="system"
48 DESC="Z39.50/SRW/SRU client/server development toolkit (3.0.46)"
49 VENDOR="Sun Microsystems, Inc."
50 HOTLINE="Please contact your local service provider"
51 EMAIL=""
52 CLASSES="none"
53 BASEDIR=/
54 SUNW_PKGVERS="1.0"
55 SUNW_PKG_ALLZONES="false"
56 SUNW_PKG_HOLLOW="false"
57 SUNW_PKG_THISZONE="false"
58 #VSTOCK=<reserved by Release Engineering for package part #>"
59 #ISTATES="<developer defined>"
60 #RSTATES='<developer defined>'
61 #ULIMIT="<developer defined>"

```

```

62 #ORDER="<developer defined>"
63 #PSTAMP="<developer defined>"
64 #INTONLY="<developer defined>"

```

```
*****
```

```
13281 Fri Jul 17 10:02:03 2009
```

```
new/usr/src/pkgdefs/SUNWlibyaz/prototype_com
```

```
6856712 RFE to include yaz development toolkit into SFW consolidation
```

```
*****
```

```

1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)prototype_com      1.1      09/07/17 SMI"
27 #
28 #
29 #
30 # This required package information file contains a list of package contents.
31 # The 'pkgmk' command uses this file to identify the contents of a package
32 # and their location on the development machine when building the package.
33 # Can be created via a text editor or through use of the 'pkgproto' command.
34 #
35 #
36 #
37 #!search <pathname pathname ...>      # where to find pkg objects
38 #!include <filename>                   # include another 'prototype' file
39 #!default <mode> <owner> <group>      # default used if not specified on entry
40 #!<param>=<svalue>                     # puts parameter in pkg environment
41 #
42 #
43 #
44 # pkgdefs/SUNWlibyaz/prototype_com
45 #
46 #
47 # packaging files
48 i pkginfo
49 i copyright
50 i depend
51 #
52 # source locations relative to the prototype file
53 #
54 # SUNWlibyaz
55 #
56 d none usr 0755 root sys
57 d none usr/bin 0755 root bin
58 f none usr/bin/yaz-asncomp 0555 root bin
59 f none usr/bin/yaz-client 0555 root bin
60 f none usr/bin/yaz-config 0555 root bin
61 f none usr/bin/yaz-iconv 0555 root bin

```

```

62 f none usr/bin/yaz-illclient 0555 root bin
63 f none usr/bin/yaz-marcdump 0555 root bin
64 f none usr/bin/yaz-ztest 0555 root bin
65 f none usr/bin/zoomsh 0555 root bin
66 d none usr/include 0755 root bin
67 d none usr/include/yaz 0755 root bin
68 f none usr/include/yaz/backend.h 0444 root bin
69 f none usr/include/yaz/ccl.h 0444 root bin
70 f none usr/include/yaz/ccl_xml.h 0444 root bin
71 f none usr/include/yaz/charneg.h 0444 root bin
72 f none usr/include/yaz/comstack.h 0444 root bin
73 f none usr/include/yaz/copy_types.h 0444 root bin
74 f none usr/include/yaz/cql.h 0444 root bin
75 f none usr/include/yaz/daemon.h 0444 root bin
76 f none usr/include/yaz/diagbibl.h 0444 root bin
77 f none usr/include/yaz/diagsru.update.h 0444 root bin
78 f none usr/include/yaz/diagsrw.h 0444 root bin
79 f none usr/include/yaz/errno.h 0444 root bin
80 f none usr/include/yaz/icu.h 0444 root bin
81 f none usr/include/yaz/ill-core.h 0444 root bin
82 f none usr/include/yaz/ill.h 0444 root bin
83 f none usr/include/yaz/item-req.h 0444 root bin
84 f none usr/include/yaz/libxml2_error.h 0444 root bin
85 f none usr/include/yaz/log.h 0444 root bin
86 f none usr/include/yaz/logrpn.h 0444 root bin
87 f none usr/include/yaz/marcdisp.h 0444 root bin
88 f none usr/include/yaz/match_glob.h 0444 root bin
89 f none usr/include/yaz/matchstr.h 0444 root bin
90 f none usr/include/yaz/mutex.h 0444 root bin
91 f none usr/include/yaz/nmem.h 0444 root bin
92 f none usr/include/yaz/nmem_xml.h 0444 root bin
93 f none usr/include/yaz/oclc-ill-req-ext.h 0444 root bin
94 f none usr/include/yaz/odr.h 0444 root bin
95 f none usr/include/yaz/oid_db.h 0444 root bin
96 f none usr/include/yaz/oid_std.h 0444 root bin
97 f none usr/include/yaz/oid_util.h 0444 root bin
98 f none usr/include/yaz/options.h 0444 root bin
99 f none usr/include/yaz/otherinfo.h 0444 root bin
100 f none usr/include/yaz/poll.h 0444 root bin
101 f none usr/include/yaz/pquery.h 0444 root bin
102 f none usr/include/yaz/proto.h 0444 root bin
103 f none usr/include/yaz/prt-ext.h 0444 root bin
104 f none usr/include/yaz/query-charset.h 0444 root bin
105 f none usr/include/yaz/querytowrbuf.h 0444 root bin
106 f none usr/include/yaz/readconf.h 0444 root bin
107 f none usr/include/yaz/record_conv.h 0444 root bin
108 f none usr/include/yaz/retrieval.h 0444 root bin
109 f none usr/include/yaz/rpn2cql.h 0444 root bin
110 f none usr/include/yaz/sc.h 0444 root bin
111 f none usr/include/yaz/snprintf.h 0444 root bin
112 f none usr/include/yaz/soap.h 0444 root bin
113 f none usr/include/yaz/sortspec.h 0444 root bin
114 f none usr/include/yaz/srw.h 0444 root bin
115 f none usr/include/yaz/statserv.h 0444 root bin
116 f none usr/include/yaz/tcpip.h 0444 root bin
117 f none usr/include/yaz/test.h 0444 root bin
118 f none usr/include/yaz/timing.h 0444 root bin
119 f none usr/include/yaz/tokenizer.h 0444 root bin
120 f none usr/include/yaz/tpath.h 0444 root bin
121 f none usr/include/yaz/unix.h 0444 root bin
122 f none usr/include/yaz/wrbuf.h 0444 root bin
123 f none usr/include/yaz/xmalloc.h 0444 root bin
124 f none usr/include/yaz/xmlquery.h 0444 root bin
125 f none usr/include/yaz/xmltypes.h 0444 root bin
126 f none usr/include/yaz/yaz-ccl.h 0444 root bin
127 f none usr/include/yaz/yaz-iconv.h 0444 root bin

```

```

128 f none usr/include/yaz/yaz-util.h 0444 root bin
129 f none usr/include/yaz/yaz-version.h 0444 root bin
130 f none usr/include/yaz/yconfig.h 0444 root bin
131 f none usr/include/yaz/z-accdes1.h 0444 root bin
132 f none usr/include/yaz/z-accform1.h 0444 root bin
133 f none usr/include/yaz/z-acckrbl.h 0444 root bin
134 f none usr/include/yaz/z-charneg.h 0444 root bin
135 f none usr/include/yaz/z-core.h 0444 root bin
136 f none usr/include/yaz/z-date.h 0444 root bin
137 f none usr/include/yaz/z-diag1.h 0444 root bin
138 f none usr/include/yaz/z-espec1.h 0444 root bin
139 f none usr/include/yaz/z-estask.h 0444 root bin
140 f none usr/include/yaz/z-exp.h 0444 root bin
141 f none usr/include/yaz/z-grs.h 0444 root bin
142 f none usr/include/yaz/z-mterm2.h 0444 root bin
143 f none usr/include/yaz/z-oclcui.h 0444 root bin
144 f none usr/include/yaz/z-opac.h 0444 root bin
145 f none usr/include/yaz/z-rrf1.h 0444 root bin
146 f none usr/include/yaz/z-rrf2.h 0444 root bin
147 f none usr/include/yaz/z-sum.h 0444 root bin
148 f none usr/include/yaz/z-sutrs.h 0444 root bin
149 f none usr/include/yaz/z-uifrl.h 0444 root bin
150 f none usr/include/yaz/z-univ.h 0444 root bin
151 f none usr/include/yaz/zes-admin.h 0444 root bin
152 f none usr/include/yaz/zes-expi.h 0444 root bin
153 f none usr/include/yaz/zes-exps.h 0444 root bin
154 f none usr/include/yaz/zes-order.h 0444 root bin
155 f none usr/include/yaz/zes-pquery.h 0444 root bin
156 f none usr/include/yaz/zes-psched.h 0444 root bin
157 f none usr/include/yaz/zes-psset.h 0444 root bin
158 f none usr/include/yaz/zes-update.h 0444 root bin
159 f none usr/include/yaz/zes-update0.h 0444 root bin
160 f none usr/include/yaz/zgdu.h 0444 root bin
161 f none usr/include/yaz/zoom.h 0444 root bin
162 d none usr/lib 0755 root bin
163 s none usr/lib/libyaz.so=./libyaz.so.3.0.0
164 s none usr/lib/libyaz.so.3=./libyaz.so.3.0.0
165 f none usr/lib/libyaz.so.3.0.0 0555 root bin
166 s none usr/lib/libyaz_icu.so=./libyaz_icu.so.3.0.0
167 s none usr/lib/libyaz_icu.so.3=./libyaz_icu.so.3.0.0
168 f none usr/lib/libyaz_icu.so.3.0.0 0555 root bin
169 s none usr/lib/libyaz_server.so=./libyaz_server.so.3.0.0
170 s none usr/lib/libyaz_server.so.3=./libyaz_server.so.3.0.0
171 f none usr/lib/libyaz_server.so.3.0.0 0555 root bin
172 d none usr/lib/pkgconfig 0755 root other
173 f none usr/lib/pkgconfig/yaz.pc 0444 root bin
174 d none usr/share 0755 root sys
175 d none usr/share/aclocal 0755 root other
176 f none usr/share/aclocal/yaz.m4 0444 root bin
177 d none usr/share/doc 0755 root other
178 d none usr/share/doc/yaz 0755 root bin
179 f none usr/share/doc/yaz/apilayer.png 0444 root bin
180 f none usr/share/doc/yaz/asn.external.html 0444 root bin
181 f none usr/share/doc/yaz/asn.html 0444 root bin
182 f none usr/share/doc/yaz/asn.pdu.html 0444 root bin
183 f none usr/share/doc/yaz/asn.preparing.html 0444 root bin
184 f none usr/share/doc/yaz/bibl.html 0444 root bin
185 d none usr/share/doc/yaz/common 0755 root bin
186 f none usr/share/doc/yaz/common/id.png 0444 root bin
187 f none usr/share/doc/yaz/common/style1.css 0444 root bin
188 f none usr/share/doc/yaz/comstack.addresses.html 0444 root bin
189 f none usr/share/doc/yaz/comstack.client.html 0444 root bin
190 f none usr/share/doc/yaz/comstack.common.html 0444 root bin
191 f none usr/share/doc/yaz/comstack.diagnostics.html 0444 root bin
192 f none usr/share/doc/yaz/comstack.html 0444 root bin
193 f none usr/share/doc/yaz/comstack.introduction.html 0444 root bin

```

```

194 f none usr/share/doc/yaz/comstack.server.html 0444 root bin
195 f none usr/share/doc/yaz/comstack.ssl.html 0444 root bin
196 f none usr/share/doc/yaz/comstack.summary.html 0444 root bin
197 f none usr/share/doc/yaz/credits.html 0444 root bin
198 f none usr/share/doc/yaz/future.html 0444 root bin
199 f none usr/share/doc/yaz/index.html 0444 root bin
200 f none usr/share/doc/yaz/indexdata.html 0444 root bin
201 f none usr/share/doc/yaz/installation.html 0444 root bin
202 f none usr/share/doc/yaz/installation.unix.html 0444 root bin
203 f none usr/share/doc/yaz/installation.win32.html 0444 root bin
204 f none usr/share/doc/yaz/introduction.api.html 0444 root bin
205 f none usr/share/doc/yaz/introduction.html 0444 root bin
206 f none usr/share/doc/yaz/license.html 0444 root bin
207 f none usr/share/doc/yaz/list-oids.html 0444 root bin
208 f none usr/share/doc/yaz/marc.html 0444 root bin
209 f none usr/share/doc/yaz/odr.debugging.html 0444 root bin
210 f none usr/share/doc/yaz/odr.html 0444 root bin
211 f none usr/share/doc/yaz/odr.programming.html 0444 root bin
212 f none usr/share/doc/yaz/odr.use.html 0444 root bin
213 f none usr/share/doc/yaz/reference.html 0444 root bin
214 f none usr/share/doc/yaz/server.backend.html 0444 root bin
215 f none usr/share/doc/yaz/server.backendfunctions.html 0444 root bin
216 f none usr/share/doc/yaz/server.frontend.html 0444 root bin
217 f none usr/share/doc/yaz/server.html 0444 root bin
218 f none usr/share/doc/yaz/server.invocation.html 0444 root bin
219 f none usr/share/doc/yaz/server.main.html 0444 root bin
220 f none usr/share/doc/yaz/server.vhosts.html 0444 root bin
221 f none usr/share/doc/yaz/soap.html 0444 root bin
222 f none usr/share/doc/yaz/soap.http.html 0444 root bin
223 f none usr/share/doc/yaz/soap.srw.html 0444 root bin
224 f none usr/share/doc/yaz/soap.xml.html 0444 root bin
225 f none usr/share/doc/yaz/tools.html 0444 root bin
226 f none usr/share/doc/yaz/tools.log.html 0444 root bin
227 f none usr/share/doc/yaz/tools.nmem.html 0444 root bin
228 f none usr/share/doc/yaz/tools.oid.html 0444 root bin
229 f none usr/share/doc/yaz/tools.retrieval.html 0444 root bin
230 f none usr/share/doc/yaz/yaz-asncomp.html 0444 root bin
231 f none usr/share/doc/yaz/yaz-client.html 0444 root bin
232 f none usr/share/doc/yaz/yaz-config.html 0444 root bin
233 f none usr/share/doc/yaz/yaz-iconv.html 0444 root bin
234 f none usr/share/doc/yaz/yaz-icu.html 0444 root bin
235 f none usr/share/doc/yaz/yaz-illclient.html 0444 root bin
236 f none usr/share/doc/yaz/yaz-log.html 0444 root bin
237 f none usr/share/doc/yaz/yaz-marcdump.html 0444 root bin
238 f none usr/share/doc/yaz/yaz-ztest.html 0444 root bin
239 f none usr/share/doc/yaz/yaz.html 0444 root bin
240 f none usr/share/doc/yaz/zoom.events.html 0444 root bin
241 f none usr/share/doc/yaz/zoom.extendedservices.html 0444 root bin
242 f none usr/share/doc/yaz/zoom.html 0444 root bin
243 f none usr/share/doc/yaz/zoom.options.html 0444 root bin
244 f none usr/share/doc/yaz/zoom.query.html 0444 root bin
245 f none usr/share/doc/yaz/zoom.records.html 0444 root bin
246 f none usr/share/doc/yaz/zoom.resultsets.html 0444 root bin
247 f none usr/share/doc/yaz/zoom.scan.html 0444 root bin
248 f none usr/share/doc/yaz/zoomsh.html 0444 root bin
249 d none usr/share/man 0755 root bin
250 d none usr/share/man/man1 0755 root bin
251 f none usr/share/man/man1/yaz-asncomp.1 0444 root bin
252 f none usr/share/man/man1/yaz-client.1 0444 root bin
253 f none usr/share/man/man1/yaz-iconv.1 0444 root bin
254 f none usr/share/man/man1/yaz-illclient.1 0444 root bin
255 f none usr/share/man/man1/yaz-marcdump.1 0444 root bin
256 f none usr/share/man/man1/zoomsh.1 0444 root bin
257 d none usr/share/man/man7 0755 root bin
258 f none usr/share/man/man7/bibl-attr.7 0444 root bin
259 f none usr/share/man/man7/yaz-log.7 0444 root bin

```

```
260 f none usr/share/man/man7/yaz.7 0444 root bin
261 d none usr/share/man/man8 0755 root bin
262 f none usr/share/man/man8/yaz-config.8 0444 root bin
263 f none usr/share/man/man8/yaz-ztest.8 0444 root bin
264 d none usr/share/yaz 0755 root bin
265 d none usr/share/yaz/etc 0755 root bin
266 f none usr/share/yaz/etc/MARC21slim2DC.xsl 0444 root bin
267 f none usr/share/yaz/etc/MARC21slim2MODS.xsl 0444 root bin
268 f none usr/share/yaz/etc/MARC21slim2RDFDC.xsl 0444 root bin
269 f none usr/share/yaz/etc/MARC21slimUtils.xsl 0444 root bin
270 f none usr/share/yaz/etc/cqlpass.properties 0444 root bin
271 f none usr/share/yaz/etc/maps.xml 0444 root bin
272 f none usr/share/yaz/etc/opacxml.xsd 0444 root bin
273 f none usr/share/yaz/etc/pqf.properties 0444 root bin
274 f none usr/share/yaz/etc/yazgfs.xml 0444 root bin
275 d none usr/share/yaz/ill 0755 root bin
276 f none usr/share/yaz/ill/ill.tcl 0444 root bin
277 f none usr/share/yaz/ill/ill9702.asn 0444 root bin
278 f none usr/share/yaz/ill/item-req.asn 0444 root bin
279 f none usr/share/yaz/ill/oclc-ill-req-ext.asn 0444 root bin
280 d none usr/share/yaz/z39.50 0755 root bin
281 f none usr/share/yaz/z39.50/charneg-3.asn 0444 root bin
282 f none usr/share/yaz/z39.50/datetime.asn 0444 root bin
283 f none usr/share/yaz/z39.50/esadmin.asn 0444 root bin
284 f none usr/share/yaz/z39.50/esupdate.asn 0444 root bin
285 f none usr/share/yaz/z39.50/mterm2.asn 0444 root bin
286 f none usr/share/yaz/z39.50/oclcui.asn 0444 root bin
287 f none usr/share/yaz/z39.50/univres.asn 0444 root bin
288 f none usr/share/yaz/z39.50/z.tcl 0444 root bin
289 f none usr/share/yaz/z39.50/z3950v3.asn 0444 root bin
```

```

*****
2293 Fri Jul 17 10:02:04 2009
new/usr/src/pkgdefs/SUNWlibyaz/prototype_i386
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)prototype_i386 1.1 09/07/17 SMI"
27 #
28 #
29 #
30 # This required package information file contains a list of package contents.
31 # The 'pkgmk' command uses this file to identify the contents of a package
32 # and their location on the development machine when building the package.
33 # Can be created via a text editor or through use of the 'pkgproto' command.
34 #
35 #
36 #
37 #!search <pathname pathname ...> # where to find pkg objects
38 #!include <filename> # include another 'prototype' file
39 #!default <mode> <owner> <group> # default used if not specified on entry
40 #!<param>=<svalue> # puts parameter in pkg environment
41 #
42 #
43 #
44 # pkgdefs/SUNWlibyaz/prototype_i386
45 #
46 #
47 #
48 # Include ISA independent files (prototype_com)
49 #
50 #!include prototype_com
51 #
52 #
53 #
54 # List files which are I386 specific here
55 #
56 # source locations relative to the prototype file
57 #
58 #
59 # SUNWlibyaz
60 #
61 d none usr/lib/amd64 0755 root bin

```

```

62 s none usr/lib/amd64/libyaz.so=./libyaz.so.3.0.0
63 s none usr/lib/amd64/libyaz.so.3=./libyaz.so.3.0.0
64 f none usr/lib/amd64/libyaz.so.3.0.0 0555 root bin
65 s none usr/lib/amd64/libyaz_icu.so=./libyaz_icu.so.3.0.0
66 s none usr/lib/amd64/libyaz_icu.so.3=./libyaz_icu.so.3.0.0
67 f none usr/lib/amd64/libyaz_icu.so.3.0.0 0555 root bin
68 s none usr/lib/amd64/libyaz_server.so=./libyaz_server.so.3.0.0
69 s none usr/lib/amd64/libyaz_server.so.3=./libyaz_server.so.3.0.0
70 f none usr/lib/amd64/libyaz_server.so.3.0.0 0555 root bin

```

```

*****
2310 Fri Jul 17 10:02:04 2009
new/usr/src/pkgdefs/SUNWlibyaz/prototype_sparc
6856712 RFE to include yaz development toolkit into SFW consolidation
*****
1 #
2 # CDDL HEADER START
3 #
4 # The contents of this file are subject to the terms of the
5 # Common Development and Distribution License (the "License").
6 # You may not use this file except in compliance with the License.
7 #
8 # You can obtain a copy of the license at usr/src/OPENSOLARIS.LICENSE
9 # or http://www.opensolaris.org/os/licensing.
10 # See the License for the specific language governing permissions
11 # and limitations under the License.
12 #
13 # When distributing Covered Code, include this CDDL HEADER in each
14 # file and include the License file at usr/src/OPENSOLARIS.LICENSE.
15 # If applicable, add the following below this CDDL HEADER, with the
16 # fields enclosed by brackets "[]" replaced with your own identifying
17 # information: Portions Copyright [yyyy] [name of copyright owner]
18 #
19 # CDDL HEADER END
20 #
21 #
22 #
23 # Copyright 2009 Sun Microsystems, Inc. All rights reserved.
24 # Use is subject to license terms.
25 #
26 # ident "@(#)prototype_sparc 1.1 09/07/17 SMI"
27 #
28 #
29 #
30 # This required package information file contains a list of package contents.
31 # The 'pkgmk' command uses this file to identify the contents of a package
32 # and their location on the development machine when building the package.
33 # Can be created via a text editor or through use of the 'pkgproto' command.
34 #
35 #!search <pathname pathname ...> # where to find pkg objects
36 #!include <filename> # include another 'prototype' file
37 #!default <mode> <owner> <group> # default used if not specified on entry
38 #!<param>=<value> # puts parameter in pkg environment
39 #
40 #
41 # pkgdefs/SUNWlibyaz/prototype_sparc
42 #
43 #
44 #
45 # Include ISA independent files (prototype_com)
46 #
47 !include prototype_com
48 #
49 #
50 #
51 # List files which are SPARC specific here
52 #
53 # source locations relative to the prototype file
54 #
55 #
56 # SUNWlibyaz
57 #
58 d none usr/lib/sparcv9 0755 root bin
59 s none usr/lib/sparcv9/libyaz.so=./libyaz.so.3.0.0
60 s none usr/lib/sparcv9/libyaz.so.3=./libyaz.so.3.0.0
61 f none usr/lib/sparcv9/libyaz.so.3.0.0 0555 root bin

```

```

62 s none usr/lib/sparcv9/libyaz_icu.so=./libyaz_icu.so.3.0.0
63 s none usr/lib/sparcv9/libyaz_icu.so.3=./libyaz_icu.so.3.0.0
64 f none usr/lib/sparcv9/libyaz_icu.so.3.0.0 0555 root bin
65 s none usr/lib/sparcv9/libyaz_server.so=./libyaz_server.so.3.0.0
66 s none usr/lib/sparcv9/libyaz_server.so.3=./libyaz_server.so.3.0.0
67 f none usr/lib/sparcv9/libyaz_server.so.3.0.0 0555 root bin

```